#### BIDDING DOCUMENTS

for

# CONSTRUCTION OF VETY. DISPY. BUILDING WITH WATER SUPPLY, SANITARY AND INTERNAL ELECTRIFICATION WORKS AT GANAKKUCHI STATE VETY. DISPY, IN BARPETA DISTRICT

Bid Ref.No.: DVT / 223/RIDF-XXVII (D)/2022-23/

Dtd. Guwahati the August, 2022

#### OFFICE OF THE DIRECTOR, ANIMAL HUSBANDRY & VETERINARY DEPARTMENT, ASSAM, CHENIKUTHI,

**GUWAHATI -3** 

#### Section I OPEN COMPETITIVE BIDDING

#### Notice Inviting Bids (NIB) for

**Procurement of** Construction of Vety. Dispy. Building with Water Supply, Sanitary and Internal electrification works at Ganakkuchi State Vety. Dispy, in Barpeta District

NO. DVT / 223/RIDF-XXVII (D)/2022-23/

Dtd. Guwahati the August, 2022

1. The Director invites sealed Bids from the registered contractors of A. H. & Vety. and Dairy Development, Assam and possessing requisite experience in executing similar nature of works for the following civil work under RIDF-XXVII.

Sl.	Work Description	Estimated	Cost of	Bid Security	Completion
No.		Cost (Rs.)	Bidding	(Rs.)	Period
			Documents		
			incl. of		
			GST (Rs.)		
	Construction of Vety.	22,81,000.00	800.00	45,620.00	120 days
	Dispy. Building with				
	Water Supply, Sanitary				
1	and Internal				
1	electrification works at				
	Ganakkuchi State Vety.				
	Dispy, in Barpeta				
	District				

- Bidding will be conducted through Limited Bidding method and procedures as specified in "The Assam Public Procurement Act, 2017" and "The Assam Public Procurement Rules, 2020". These Act and Rules may be viewed and downloaded from the web-link at www.assam.gov.in.
- 3. The Bidding Documents may be downloaded by the interested eligible registered contractors of A.H.& Vety.Deptt.Assam,Chenikuthi,Guwahati-3 and Dairy Development, Assam, Khanapara, Guwahati-22 from the website <u>https://veterinary.assam.gov.in.</u> up to 30/08/2022. However, bidders are required to submit cost of Bidding Document amounting to Rs.800.00 in the mode prescribed in the Bidding Documents along with Bids.
- 4. All Bids must be accompanied by a Bid Security as mentioned in the table above, unless otherwise mentioned in the Bidding Documents.
- 5. Bids must be delivered to the address below on or before 14.00 hrs of 30/08/2022. Further both the Technical BID & Financial BID (Letter of BID & Bill of Quantities), sealed separately should be enclosed in a single envelop. Electronic Bidding will not be permitted. Late Bids will be rejected.
- 6. The Bids will be publicly opened in the presence of the Bidders' designated representatives and anyone who chooses to attend, at the address below on *30/08/2022 at 15.00 hrs*.

#### Section-II

#### **Instructions to Bidders**

#### Table of Contents A.GENERAL

- 1. Introduction.
- 2. Language of Bids.
- 3. Code of Integrity.
- 4. Conflict of Interest ..
- 5. Eligible Bidders.
- 6. Bidders' Qualification..

#### **B. BIDDING DOCUMENTS.**

- 7. Content of Bidding Documents..
- 8. Clarifications of Bidding Documents and Site Visits.
- 9. Pre-Bid Meeting.
- 10. Amendments to Bid Documents.

#### **C. PREPARATION OF BIDS**

- 11. Documents Comprising the Bid.
- 12. Letter of Bid and Priced Bill of Quantities.
- 13. Alternative Bids.
- 14. Bid Prices..
- 15. Bid Currency..
- 16. Documents establishing Bidder's Eligibility.
- 17. Documents establishing Bidder's Qualification.
- 18. Period of validity of Bids.
- 19. Cost of Bidding Documents.
- 20. Bid Security.
- 21. Format and Signing of Bids.

#### **D. SUBMISSION AND OPENING OF BIDS**.

- 22. Sealing, Marking and Submission of Bids.
- 23. Deadline for Submission of Bids.
- 24. Late Bids.
- 25. Withdrawal, Substitution and Modification of Bids.
- 26. Opening of Bids

#### E. EVALUATION AND COMPARISON OF BIDS .

- 27. Confidentiality
  - 28. Preliminary Examination of Bids.
  - 29. Clarification of Bids.
  - 30. Immaterial Non-conformities in Bids.
  - 31. Determination of Responsiveness.
  - 32. Non-conformities, Errors and Omissions.
  - 33. Correction of Arithmetical Errors.
  - 34. Sub-contractors.
  - 35. Evaluation of Bids.
  - 36. Comparison of Bids
  - 37. Employer's Right to Accept Any Bid, and to Reject Any or All Bids

#### F. AWARD OF CONTRACT

- 38. Award Criteria.
- 39. Notification of Award.
- 40. Performance Security
- 41. Signing of Contract.

# Section – II Instructions to Bidders

#### A. GENERAL

#### **1.** Introduction

- 1.1 In connection with the Notice Inviting Bids (NIB) for Procurement of Works as specified in Section-III:Bid Data Sheet(BDS), the Employer as specified in the BDS, has issued these Bidding Documents for Procurement of Works as specified in Section V - Works Requirements.
- 1.2 This Section provides the relevant information as well as instructions to assist prospective bidders in preparation and submission of bids. It also includes the mode and procedure to be adopted by the Employer for receipt and opening as well as scrutiny and evaluation of bids and subsequent placement of award of contract.
- 1.3 Before preparing the bid and submitting the same to the Employer, the bidder should read and examine all the terms & conditions, instructions etc. contained in these Bidding Documents. Failure to provide required information or to comply with the instructions incorporated in these Bidding Documents may result in rejection of bids submitted by bidders.
- 1.4 The Bidder, at its own responsibility and risk is encouraged to visit and examine Site of Works and its surroundings and obtain all information that may be necessary for preparing the Bid and entering into a contract for construction of the Works. The cost of visiting the Site shall be at the Bidder's own expense.
- 1.5 The bidder shall bear all costs and expenditure incurred and/or to be incurred by it in connection with its bid including preparation, mailing and submission of its bid and subsequently processing the same. The Employer shall, in no case be responsible or liable for any such cost, expenditure etc. regardless of the conduct or outcome of the bidding process.

#### 2. Language of Bids

**2.1** Bid submitted by the bidder and all subsequent correspondences and documents relating to the bid exchanged between the Bidder and the Employer, shall be written in English language. However, the language of any printed literature furnished by the Bidder in connection with its bid may be written in any other language, provided the same is accompanied by a self-certified English translation and, for purposes of interpretation of the bid, the English translation shall prevail.

#### **3.** Code of Integrity

3.1 The Employer and all officers or employees of the Employer, whether involved in the procurement process or otherwise, or Bidders and their representatives or consultants or service providers participating in a procurement process or other persons involved, directly

or indirectly in any way in a procurement process shall maintain an unimpeachable standard of integrity.

- **3.2** Govt. of Assam prescribes to the Employer and Bidders to uphold the Code of Integrity, which prohibits officers or employees of Employer or a person participating in a procurement process the following:
  - (i) any offer, solicitation or acceptance of any bribe, reward or gift or any material benefit, either directly or indirectly, in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process;
  - (ii) any omission, including a misrepresentation that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
  - (iii) any collusion, bid rigging or anti-competitive behaviour to impair the transparency, fairness and progress of the procurement process;
  - (iv) improper use of information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process or for personal gain;
  - (v) any financial or business transactions between the bidder and any officer or employee of the Procuring Entity, who are directly or indirectly related to tender or execution process of contract;
  - (vi) any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
  - (vii) any obstruction of any investigation or audit of a procurement process;
  - (viii) making false declaration or providing false information for participation in-a) tender process or to secure a contract;
    - b) disclosure of Conflict of Interest;
    - c) disclosure by the bidder of any previous transgressions with any entity in India or any other country during the last three years or of any debarment by any other Procuring Entity.
- 3.3 In case of any breach of the Code of Integrity by a bidder or a prospective bidder, as the case may be, the Employer after giving are as on able opportunity of being heard,may take appropriate measures including–
  - a) exclusion of the bidder from the procurement process;
  - b) calling-off of pre-contract negotiations and forfeiture or encashment of bid security;

- c) forfeiture or encashment of any other security or bond relating to procurement;
- d) recovery of payments made by the Employer along with interest thereon at bank rate;
- e) cancellation of the relevant contract and recovery of compensation for loss incurred by the Employer;
- f) debarment of the bidder from participation in any future procurements of any Procuring Entity for a period not exceeding three years

#### **4.** Conflict of Interest

- 4.1 Conflict of Interest for a Procuring Entity or its personnel and Bidders is considered to be a situation in which a party has interests that could improperly influence the performance of its duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.
- 4.2 Govt. of Assam describes the situations in which a Procuring Entity or its personnel may be considered to be in Conflict of Interest include, but are not limited to the following
  - a) Conflict of Interest occurs when the private interests of a Procuring Entity or its personnel, such as personal, non-official, extra- professional or other relationships or personal financial assets, interfere or appear to interfere with the proper performance of its professional functions or obligations as a procurement official;
  - b) within the procurement environment, a Conflict of Interest may arise in connection with such private interests as personal investments and assets, political or other social activities and affiliations while in the service of the Procuring Entity, employment after retirement from service or of relatives or the receipt of a gift that may place the Procuring Entity or its personnel in a position of obligation;
  - c) Conflict of Interest also includes the use of assets of the Procuring Entity including human, financial and material assets, or the use of the office of the procuring entity or knowledge gained from official functions for private gain or to prejudice the position of some one the Procuring Entity or its personnel does not favour;
  - d) Conflict of Interest may also arise in situations where the Procuring Entity or any of its personnel is seen to benefit directly or indirectly or allow a third party, including family, friends or some one they favour, to benefit directly or indirectly from the decision or action of the Procuring Entity;
- 4.3 The situations in which bidders participating in a procurement process or their representatives may be considered to be in Conflict of Interest include, but are not limited to the following-

- a) If they or their personnel or representatives or agents have any relationship or financial or business transactions or interests with any official of the Procuring Entity that are directly or indirectly involved in or related to the procurement process or execution of contract;
- b) If they receive or have received any direct or indirect subsidy from any other bidder;
- c) If they have the same legal representative for purposes of the bid;
- d) If they have a relationship with each other, directly or through common third parties that puts them in a position to have access to information about or influence on the bid of another;
- e) If they participate in more than one bid in the same bidding process;
- f) If they have controlling partners in common;
- g) If a bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the subject matter of procurement of the bidding process or were involved in such preparation in anyway;
- 4.4 In the 'Letter of Bid' to be submitted by the bidder, as per format given in Section VI -Bidding Forms, all bidders shall provide a signed statement that the bidder is neither associated nor has been associated directly or indirectly with the consultant or any other entity that has prepared the design, specifications and other documents for the subject matter of procurement or is being proposed as Project Manager for the contract;
- 4.5 In case of a holding company having more than one independent unit or more than one unit having common business ownership or management, only one unit shall be allowed to submit bid or quote to prevent any conflict of interest. Similar restrictions shall apply to closely related sister or subsidiary companies. Such bidders must proactively declare such sister or subsidiary company or common business or management units in similar lines of business;

#### **5.** Eligible Bidders

- 5.1 Bidder shall be a natural person, private entity, government-owned entity or, any combination of these having a formal intent and legal competency to enter into an agreement or contract and are registered under respective Act and Jurisdiction in India or any other country with which India has not banned trade relations.
- 5.2 The bidder should fulfill the registration requirement **as specified in the BDS**.
- 5.3 Bidder should not have a Conflict of Interest as prescribed and specified in ITB Para 4, which materially affects fair competition.
- 5.4 In addition, any bidder participating in the procurement process shall-
  - (i) have fulfilled his obligation to pay all such taxes as payable to the Central

Government or the State Government or any local authority;

- (ii) not be insolvent, in receivership, bankrupt or being wound up, not have its affairs administered by a court or a judicial officer, not have its business activities suspended and must not be the subject of legal proceedings for any of the fore going reasons;
- (iii) not have, and their directors and officers not have, been convicted of any criminal offence related to their professional conduct or the making of false statements or miss representations as to their qualifications to enter into a procurement contract within a period of three years preceding the commencement of the procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- (iv) not be debarred by any Procuring Entity under the State Government, the Central Government, Autonomous body, Authority by whatever name called under them.
- 5.5 In the 'Letter of Bid' to be submitted by the bidder, **as per format given in Section VI Bidding Forms**, all bidders shall provide an Affidavit that the bidder fulfils the eligibility requirements given in ITB Para 5.4;

#### 6. Bidders' Qualification

- 6.1 Bidders should substantially meet the qualification criteria as stipulated in the Section-IV Evaluation and Qualification Criteria.
- 6.2 Bidders should fill and submit the Forms provided in Section VI Bidding Forms to provide relevant information and documents in support of fulfillment of bidder's qualification, along with its bid.

# **B.** BIDDING DOCUMENTS

#### 7. Content of Bidding Documents

- 7.1 The Bidding Documents include the following Sections, which should be read in conjunction with any Amendment issued in accordance with ITB Para10.
  - Section I Notice Inviting Bids (NIB)
  - SectionII Instructions to Bidders(ITB)
  - Section III
     Bid Data Sheet
  - Section IV Evaluation and Qualification Criteria
  - Section V Works Requirements
  - Section VI Bidding Forms
  - Section VII General Conditions of Contract(GCC)
  - Section VIII Special Conditions of Contract(SCC)
  - Section IX Contract Forms
- 7.2 Unless downloaded directly from the Employer's website **as specified in the BDS**, Employer shall not be responsible for the correctness of the Bidding Documents, responses to requests for clarification, the Minutes of the Pre-bid meeting, if any, or

Amendment(s) to the Bidding Documents in accordance with ITB Para10.

7.3 Bidders are expected to examine all instructions, forms, terms, and specifications in the Bidding Documents and to furnish with its Bid all information or documentation as is required by the Bidding Documents.

#### 8. Clarifications of Bidding Documents and Site Visits

- **8.1** A Bidder requiring any clarification of the Bidding Documents shall contact the Employer in writing at the Employer's address **specified in the BDS**. The Employer will respond in writing to any request for clarification, provided that such request is received prior to the deadline for submission of bids within a period **specified in the BDS**.
- 8.2 The Employer shall also promptly publish brief description of the enquiry but without identifying its source and its response at its website as **specified in the BDS**.
- 8.3 Should the clarification result in changes to the essential elements of the Bidding Documents, the Employer shall amend the Bidding Documents following the procedure given under ITB Para10.
- 8.4 The Bidder is advised to visit and examine the Site of Works and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Bidder's own expense.
- 8.5 The bidders hall identify the source of all the construction materials and shall satisfy about availability of the same complying with the requirements of quantity as specified in the respective clauses of specifications prior to submission of the bids. No claim shall be entertained on the plea of non-availability of materials and involvement of extra leads during course of execution at any circumstances.
- 8.6 The Bidder and any of its personnel or agents will be granted permission by the Employer to enter upon its premises and lands for the purpose of such visit, but only upon the express condition that the Bidder, its personnel, and agents will release and indemnify the Employer and its personnel and agents from and against all liability in respect there of, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection.

#### 9. Pre-Bid Meeting

- 9.1 In order to provide response to any doubt regarding Bidding Documents or to clarify issues, a pre-bid meeting may be scheduled, **if specified in the BDS**.
- 9.2 During the pre-bid meeting, the clarification sought by representative of prospective bidders shall be responded appropriately. However, they shall be asked to submit their written request by close of office next day. The Employer shall publish written response to such requests for clarifications, without identifying its source. In case required, amendment(s), in terms of ITB Para 10 below shall be issued, which shall be binding on all prospective bidders.

#### **10.** Amendments to Bid Documents

- 10.1 At any time prior to the deadline for submission of bids, the Employer may, pursuant to ITB Para 8 and 9 and for any reason deemed fit by it, amend or modify the Bidding Documents by issuing Amendment(s).
- **10.2** Such Amendment(s) will be published on Employer's website **as specified in the BDS** and the same shall be binding on all prospective Bidders.
- 10.3 In order to give reasonable time to prospective bidders to take necessary action in preparing their bids, the Employer may, at its discretion extend the deadline for the submission of bids and other allied time frames, which are linked with that deadline.
- 10.4 Any bidder who has downloaded the Bidding Documents should check the Amendment(s), if any, issued on the Employer's website. The Employer shall not be responsible in any manner if prospective Bidders mis sany Amendment(s) published on Employer's website.

# **C. PREPARATION OF BIDS**

#### **11.** Documents Comprising the Bid

- 11.1 The bid submitted by the bidder shall be in single envelope and shall comprise the following:
  - i) Letter of Bid as per Form provided in Section VI Bidding Forms;
  - ii) Priced Bill of Quantities as per Form: Bill of Quantities, given in Section VI Bidding Forms;
  - iii) Cost of Bidding Documents in accordance with ITB Para 19 (if required);
  - iv) Bid Security furnished in accordance with ITB Para 20;
  - Duly filled Forms along with all attachments, as per Forms provided in Section VI - Bidding Forms;
  - vi) Self-attested copy of Income Tax Registration Certificate / PANcard;
  - vii) Self-attested copy of GSTIN registration;
  - viii) Any other document **as required in the BDS**;
  - ix) An Undertaking from the bidders to the effect that they agree and abide by the clauses / conditions of Bidding Documents issued by the Employer and any amendment made there after.

#### **12.** Letter of Bid and Priced Bill of Quantities

12.1 The Letter of Bid and Priced Bill of Quantities shall be prepared as per the Forms provided in Section VI- Bidding Forms. The forms must be completed without any alterations to the text, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested.

#### **13.** Alternative Bids

13.1 Unless otherwise **specified in the BDS**, alternative bids shall not beconsidered.

#### **14.** Bid Prices

- 14.1 The contract shall be for the whole works as described in Section V Works Requirements based on the priced Bill of Quantities submitted by the Bidder.
- 14.2 The Bidder shall fill the rates and prices and line item total for all items of the works described in the Bill of Quantities along with total bid price rounded to the nearest rupee, as identified in Section VI Bidding Forms. Items for which no rate or price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed covered by the rates and prices for other items of works in the Bill of Quantities.
- 14.3 The price to be quoted in the 'Letter of Bid' in accordance with ITB Para 12.1 shall be the total price of the bid.
- 14.4 The price quoted by the Bidder shall be fixed during the Bidder's performance of the Contract and shall not be subject to variation on any account, **unless otherwise specified in the BDS**. The bid submitted with adjustable price quotation shall be treated as **Non-Responsive** and shall be rejected.
- 14.5 All duties, taxes, and other levies payable by the Contractor under the Contract, shall be included in the rates and prices and the total bid price submitted by the Bidder.

#### **15.** Bid Currency

- 15.1 The bidders should submit its quote in Indian Rupees only.
- 15.2 Bids, where prices are quoted in any other currency shall be treated as **Non -Responsive** and rejected.

#### **16.** Documents establishing Bidder's Eligibility

- 16.1 To establish Bidder's eligibility in accordance with ITB Para 5, Bidders shall complete the Letter of Bid, and any other Form(s) included in Section VI: Bidding Forms.
- 16.2 The bidder's registration documents, in accordance with ITB Para-5.2 should be submitted by the bidders.

#### **17.** Documents establishing Bidder's Qualification

- **17.1** The documentary evidence of the Bidder's qualifications to perform the contract shall establish to the Employer's satisfaction that the Bidder meets each of the qualification criterion specified in Section IV Qualification and Evaluation Criteria.
- 17.2 Bidders should submit all required information and documents, and fill all the forms as prescribed in Section VI Bidding Forms.

#### **18.** Period of validity of Bids

- 18.1 Bids shall remain valid for the period **specified in the BDS** after the bid submission deadline date prescribed by the Employer in accordance with ITB Para 23.1. A bid valid for a shorter period shall be rejected by the Employer as **Non-Responsive**
- 18.2 In exceptional circumstances, prior to the expiration of the bid validity period, the Employer may request bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. A Bidder may refuse the request without forfeiting its Bid Security. A Bidder granting the request shall not be required or permitted to modify its bid.
- 18.3 The Bidder who agrees to the extension of the period of validity of bids so requested by the Employer shall also extend the period of validity of bid securities submitted by them or submit new bid security to cover the extended period of validity of their bids. A bidder whose bid security is not extended or new bid securities not submitted shall be considered to have refused the request to extend the period of validity of its bids and rejected as **Non- Responsive**. The decision of Employer will be final and binding in this regard.

#### **19.** Cost of Bidding Documents

- 19.1 The Bidder shall furnish as part of its bid, the cost of Bidding Documents(non-refundable), in the amount **if specified in the BDS**. The cost of Bidding Documents shall be in any of the following forms at the Bidder's option:
  - (a) Demand Draft / Banker's Cheque issued by Scheduled Bank in India; or
  - (b) Deposit through Digital mode if specified in the BDS;

#### **20**. Bid Security

- 20.1 The Bidder shall furnish as part of its bid, a bid security, in the amount as **specified in** Section V Works Requirements.
- 20.2 Bidders belonging to Scheduled Caste (SC), Schedule Tribes (ST) Other Backward Classes (OBC) and any other class of bidders notified by government from time to time may deposit 50% of the stipulated amount of Bid Security, but, in such cases documentary proof regarding their caste issued by the competent authority must also be submitted along with the Bid.
- 20.3 The bid security shall be in any of the following forms at the Bidder's option:
  - (a) Fixed Deposit Receipt (FDR) or Term Deposit Receipt (TDR) issued by Scheduled Bank in India; or
  - (b) Deleted
  - (c) Deleted
  - (d) Deleted
- 20.4 Incase, bid security is submitted in form of Bank Guarantee, it should be submitted using the form provided in Section VI Bidding Forms. The Bank Guarantee submitted as Bid Security shall be verified and confirmed from the competent authority of the concerned

issuing Bank.

- 20.5 The Bid Security must remain valid for forty-five(45) days beyond the original or extended validity period of the bid.
- **20.6** Any bid not accompanied by a Bid Security as specified in ITB Para 20.2 and 20.3; and not secured as indicated in Para 20.5 shall be rejected by the Employer as **non-responsive.**
- 20.7 The bid security of a bidder lying with the Employer, if any, in respect of other bids awaiting decision shall not be adjusted towards bid security required under this Bidding Documents.
- 20.8 The bid security originally deposited by a Bidder may be taken into consideration, incase bids are re-invited, if found valid, if so **specified in the BDS**. Such Bidders are required to ascertain validity of bids for consideration in lieu of bid security required under this Bidding Documents.
- 20.9 The Bid Security of unsuccessful bidder shall be released within 5 working days after signing of Agreement and deposit of performance security by the successful bidder.
- 20.10 The Bid Security of successful Bidder shall be released within 5 working days upon the successful Bidder's signing the contract and furnishing the Performance Security pursuant to ITB Para 40. As an alternative, the amount of Bid Security may be adjusted with the amount of performance security required from him or refunded if the successful bidder furnishes the full amount of performance security, if **provided in the BDS**.
- 20.11 In case Employer decides to cancel the procurement process, it shall return the bid security of all bidders after the decision to cancel procurement process.
- 20.12 The Bid Security of the bidder, who withdraws its bid prior to deadline for submission of bids, in case bid withdrawal is permitted, shall be returned after the opening of bids.
- 20.13 The Bid Security deposited by a Bidder shall be forfeited in the following cases:
  - (a) when the bidder withdraws or modifies its bid after opening of bids;
  - (b) when the bidder does not deposit the required performance security within the specified period; and
  - (c) if the bidder breaches any provisions of Code of Integrity prescribed for bidders as per ITB Para3.

#### **21.** Format and Signing of Bids

- 21.1 The Bidder shall prepare and submit one original set of Bid and clearly mark it as "ORIGINAL" along with such number of additional copies there of **as specified in the BDS**, marking these additional copies as "COPY" clearly. In the event of any discrepancy between the original bid and its copies, the contents of the original bid marked" ORIGINAL" shall prevail and be taken into account.
- 21.2 The original and all additional copies of the bid shall be typed or written in ink with all

pages serially numbered and signed by the bidder or a person duly authorized to sign on behalf of the bidder. This authorization shall consist of a written confirmation **as specified in the BDS** which shall be attached to the Bid.

21.3 Any corrections in the bid such as interlineations, erasures, or overwriting shall be valid only if they are duly signed or initialed by the person signing the bid.

#### **D.** SUBMISSION AND OPENING OF BIDS

#### 22. Sealing, Marking and Submission of Bids

- 22.1 Bidders may submit their bids by post or by hand or drop in the box earmarked by the Employer. Bids so submitted shall enclose the original and each copy of the bid in separately sealed envelopes duly marked as "ORIGINAL" and "COPY". The envelopes containing the original and the copies shall then be enclosed in one single sealed outer envelope.
- 22.2 The inner and outer envelopes shall bear the:
  - a) name and complete address along with the mobile, telephone number and email address of the Bidder;
  - b) complete postal address of the Employer;
  - c) specific identification mark / Bid Ref. No. and subject matter of procurement;
  - d) a warning 'not to open before the time and date for bid opening' as indicated in the Bidding Documents
- 22.3 If all envelopes are not sealed and marked as required, the Employer will assume no responsibility about its consequences viz. misplacement or premature opening of the bid.

#### **23.** Deadline for Submission of Bids

- 23.1 Bids must be received by the Employer at the address and no later than the date and time **specified in the BDS**.
- 23.2 The date of submission and opening of bids shall not be extended except when
  - a) sufficient number of bids have not been received within the given time and the Employer is of the opinion that further bids are likely to be submitted if time is extended; or
  - b) the Bidding Documents are required to be substantially modified as a result of discussions in pre-bid meeting or otherwise and the time for preparations of bids by the prospective bidders appears to be insufficient for which such extension is required.
- 23.3 In cases where the time and date for submission of bids is extended, an amendment to the Bidding Documents shall be issued in accordance with ITB Para 10, in which case all rights and obligations of the Employer and Bidders previously subject to the dead line shall thereafter be subject to the dead line extended
- 23.4 If the due date for submission of bids is not a working day, the bids shall be received and

opened at the same time and hour on the next working day.

#### **24.** Late Bids

- 24.1 The Employer's officer authorized to receive the bids shall not receive any bid that is submitted personally by hand after the time and date fixed for submission of bids under any circumstances.
- 24.2 Any bid which arrives by post after the deadline for submission of bids shall be declared and marked as "Late" and returned unopened to the bidder by registered post.

#### **25.** Withdrawal, Substitution and Modification of Bids

- 25.1 A bidder may withdraw, substitute, or modify its bid after it has been submitted by sending a written notice, duly signed by the bidder or his representative authorized in writing and such letter of authority shall be enclosed with the bid. The corresponding substitution or modification of the bid contained in sealed envelopes as required must accompany the written notice. Such written notice shall be
  - a) submitted in accordance with the Bidding Documents with the envelope clearly marked as "Withdrawal," "Substitution," or "Modification" as applicable, and
  - b) received by the officer authorized to receive the bids or directly dropped in the bid box prior to the last time and date fixed for receiving of bids.
- 25.2 Bids requested to be withdrawn shall be returned unopened to the bidders.
- 25.3 No bid shall be withdrawn, substituted, or modified after the time and date fixed for receipt of bids as specified in the BDS.

#### **26.** Opening of Bids

- 26.1 The sealed bid box shall be opened by the Bid Opening Committee constituted by the Employer at the time, date and place **as specified in the BDS** in the presence of the Bidders' authorized representatives who choose to be present, enabling them to watch the proceedings.
- 26.2 The Employer's officer authorized to receive bids shall also handover all the bids received by him up to the time and date for submission of bids to the convener of the Bid Opening Committee and obtain the signature of the convener of the Committee in the bids receipt register.
- 26.3 Each bid received shall be opened by the Bid Opening Committee in the presence of the bidders or their authorized representatives who choose to be present. All envelopes containing bids shall be signed, indicating date and time, by the members of the Committee in token of verification of the fact that they are sealed. The envelopes shall be numbered as ''a/n', where 'a' denotes the serial number at which the bid envelop has been taken for opening and 'n' denotes the total number of bids received by the specified time;

- 26.4 The Bid Opening Committee shall prepare a list of bidders or their representatives attending the opening of bids and obtain their signatures on the same. The list shall also contain the name, e-mail and mobile telephone number of the representatives and the corresponding names and addresses of the bidders they represent. The authority letters brought by the representatives shall be attached to the list. The list shall be signed by all members of Bid Opening Committee indicating the date and time of opening of the bids.
- 26.5 First, envelopes marked "WITHDRAWAL" shall be opened, read out, and recorded and the envelope containing the corresponding bid shall not be opened, but returned to the concerned bidders. No bid shall be permitted to be withdrawn unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal which shall also be read out and recorded. If the withdrawal notice is not accompanied by the valid authorisation, the withdrawal shall not be permitted and the corresponding bid shall be opened.
- 26.6 Next, envelopes marked as "SUBSTITUTION" shall be opened, read out, recorded and exchanged for the corresponding bid being substituted and the substituted bid shall not be opened, but returned to the bidder. No bid shall be substituted unless the corresponding substitution notice contains a valid authorization to request the substitution which shall also be read out and recorded. Thereafter, envelopes marked as "MODIFICATION" shall be opened, readout and recorded with the corresponding bid. No bid shall be modified unless the corresponding modification notice contains a valid authorization to request the modified unless the corresponding modification notice contains a valid authorization to request the modified unless the corresponding modification notice contains a valid authorization to request the modified unless the corresponding modification notice contains a valid authorization to request the modification which shall be read out and recorded.
- 26.7 All other envelopes shall be opened one at a time and the following details shall be read out and recorded-
  - (a) The name of the bidder and whether there is a substitution or modification;
  - (b) the bid prices (per lot if applicable);
  - (c) the bid security deposited; and
  - (d) any other details as the Committee may consider appropriate.
- 26.8 After all the bids have been opened, these shall be initialed and dated on the first page of each bid by the members of the Bid Opening Committee. All the pages of the price schedule and letters etc. attached shall be initialled and dated by the members of the Committee. Key information such as prices, works completion schedule, etc. shall be encircled and unfilled spaces in the bids shall be marked and signed with date by the members of the Committee. The original and additional copies of the bid shall be marked accordingly. Alterations, corrections, additions, overwriting shall be initialled legibly to make it clear that such alterations, corrections, additions, overwriting existed in the bid at the time of opening.
- 26.9 No bid shall be rejected at the time of bid opening except the late bids, alternative bids if not permitted and bids not accompanied with the proof of payment or instrument of the required cost of bidding documents, processing fee or user charges and bid security.
- 26.10 The Bid Opening Committee shall prepare a record of the proceedings of the bid opening that shall include the name of the bidders and whether there is a withdrawal, substitution, or modification, the bid price, per lot, if applicable, any discounts and alternative offers if they were permitted, any conditions put by bidder and the proof of the payment of price

of bidding documents, processing fee or user charges and bid security. The bidders or their representatives, who are present, shall sign the record. The omission of a bidder's signature on the record shall not invalidate the contents and effect of the record. The members of the Committee shall also sign the record noting the date;

# **E.** EVALUATION AND COMPARISON OF BIDS

#### **27.** Confidentiality

- 27.1 Information relating to the evaluation of bids and recommendation of contract award, shall not be disclosed to bidders or any other persons not officially concerned with the bidding process until information on Contract Award is communicated to all Bidders
- 27.2 Any effort by a Bidder to influence the Employer in the evaluation or contract award decisions may result in the rejection of its Bid.
- 27.3 Not withstanding ITB Para 27.2, from the time of bid opening to the time of Contract Award, if any Bidder wishes to contact the Employer on any matter related to the bidding process, it should do so in writing.

#### **28.** Preliminary Examination of Bids

- 28.1 The Bid Evaluation Committee constituted by the Employer shall conduct a preliminary scrutiny of the opened bids at the beginning to assess the prima-facie responsiveness and record its findings thereof particularly in respect of the following:
  - (a) that the bid is signed, as per the requirements listed in the Bidding Documents;
  - (b) that the bid has been sealed as per instructions in the Bidding Documents;
  - (c) the bid is valid for the period, specified in the Bidding Documents;
  - (d) that the bid is accompanied by due Bid Security;
  - (e) that the bid is unconditional and that the bidder has agreed to give the required performance security; and
  - (f) Whether any other conditions specified in the Bidding Documents are fulfilled.

#### **29.** Clarification of Bids

- 29.1 To assist in the examination, evaluation, comparison and qualification of the bids, the Bid Evaluation Committee may, at its discretion, ask any bidder in writing for clarification by a specific date regarding its bid specifically therein that if the bidder does not comply or respond by that date his bid shall be liable to be rejected. The request of the Committee for clarification and the response of the bidder thereto shall be in writing. Depending on the outcome, such bids shall be ignored or considered further;
- 29.2 Any clarification submitted by a bidder with regard to its bid that is not in response to a request by the Committee specifically shall not be considered;
- 29.3 No change in the prices or substance of the bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Committee in the evaluation of the financial bids;
- 29.4 No substantive change to qualification information or to a submission, including changes

aimed at making an unqualified bidder, qualified or an unresponsive submission, responsive shall be sought, offered or permitted under any circumstances;

29.5 All communication generated as above shall be included in the record of the procurement proceedings.

#### **30.** Immaterial Non-conformities in Bids

- 30.1 The Bid Evaluation Committee may waive non-conformities in the bid that do not constitute a material deviation, reservation or omission and deem the bid to be responsive;
- 30.2 The bid evaluation committee may request the bidder to submit necessary information or documents which are historical in nature like audited statements of accounts, tax clearance certificate, PAN, etc. within a reasonable period of time. Failure of the bidder to comply with the request within the given time shall result in the rejection of its bid;
- 30.3 The Bid Evaluation Committee may rectify immaterial non-conformities or omissions on the basis of the information or documentation received from the bidder under ITB Para 30.2.

#### **31.** Determination of Responsiveness

- 31.1 The Bid Evaluation Committee constituted by the Employer shall determine the responsiveness of a bid to the Bidding Documents based on the contents of the bid submitted by the Bidder;
- 31.2 A bid shall be deemed to be substantially responsive if it meets the requirements of the Bidding Documents without any material deviation, reservation, or omission where:-
  - (a) "deviation" is a departure from the requirements specified in the Bidding Documents;
  - (b) "reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Documents; and
  - (c) "omission" is the failure to submit part or all of the information or documentation required in the bidding documents.
- 31.3 A "material deviation, reservation, or omission" is one that,
  - (a) If accepted, shall-
    - (i) effect in any substantial way the scope, quality, or performance of the subject matter of procurement specified in the Bidding Documents; or
    - (ii) limit in any substantial way, in consistent with the Bidding Documents, the rights of the Employer or the obligation of the Bidder under the proposed contract; or
  - (b) if rectified shall unfairly affect the competitive position of other Bidders presenting responsive bids;
- 31.4 The Bid Evaluation Committee shall examine the technical aspects of the bid in particular to confirm that all requirements of Bidding Documents have been met without any material deviation, reservation or omission;
- 31.5 The Bid Evaluation Committee shall regard a bid as responsive if it conforms to all requirements set out in the Bidding Documents, or contains minor deviations that do not

materially alter or depart from the characteristics, terms, conditions and other requirements set out in the Bidding Documents, that is, there is no material deviation, or if it contains errors or oversights that can be corrected without any change in the substance of the bid;

31.6 Bids that are not responsive or contain any material deviation shall be rejected. Bids declared as non-responsive shall be excluded from any further evaluation.

#### **32.** Nonconformities, Errors and Omissions

- 32.1 Provided that a Bid is substantially responsive, the Bid Evaluation Committee may waive any nonconformities in the Bid.
- 32.2 Provided that a bid is substantially responsive, the Employer or authorized representative may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- 32.3 Provided that a bid is substantially responsive, the Bid Evaluation Committee shall rectify quantifiable nonmaterial nonconformities related to the Bid Price. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component.

#### **33.** Correction of Arithmetical Errors

- 33.1 Provided that the Bid is substantially responsive, the Bid Evaluation Committee shall correct arithmetical errors in the following cases, namely:
  - (a) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Committee there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
  - (b) if there is an error in a calculation of the total corresponding to the addition or subtraction of sub totals, the sub totals shall prevail and the total shall be corrected; and
  - (c) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b)above.
- 33.2 If the price bid is ambiguous leading to two equally valid total price amounts, the bid shall be treated as non-responsive and rejected.
- 33.3 Bidders shall be requested to accept correction of arithmetical errors. Failure to accept the correction in accordance with ITB Para 33.1, shall result in the rejection of the Bid.

#### **34.** Sub-contractors

34.1 Unless otherwise stated in the BDS, the Employer does not intend to execute any specific

elements of the Works by sub-contractors selected in advance by the Employer.

- 34.2 The Employer may permit subcontracting for certain specialized works as indicated in Section V. When subcontracting is permitted by the Employer, the specialized subcontractor's experience shall be considered for evaluation. Section IV describes the qualification criteria for sub-contractors.
- **34.3** Bidders may propose sub-contracting as **specified in the BDS**

#### **35.** Evaluation of Bids

- 35.1 The Employer/ Evaluation Committee shall use the criteria and methodologies listed in this Clause. No other evaluation criteria or methodologies shall be permitted.
- 35.2 To evaluate a Bid, the Employer/ Evaluation Committee shall consider the following:
  - (a) the bid price, excluding Provisional Sums and the provision, if any, for contingencies in the Summary Bill of Quantities.
  - (b) price adjustment for correction of arithmetic errors in accordance with ITB 33.1
  - (c) price adjustment due to discounts offered in accordance with ITB Para 14 and 35.3.
  - (d) price adjustment due to quantifiable nonmaterial nonconformities in accordance with ITB 32.3
  - (e) the additional evaluation factors are specified in Section IV Evaluation and Qualification Criteria
- **35.3** If Bidders are allowed to quote separate prices for different Packages / Lots (contracts), the methodology to determine the lowest evaluated price of the Packages / Lot (contracts) combinations, including any discounts offered in the Letter of Bid Form, as specified in BDS and in Section IV Evaluation and Qualification Criteria
- 35.4 If the bid of the lowest Evaluated Bidder is seriously unbalanced or, frontloaded in the opinion of the Employer/Evaluation Committee, the Employer/Evaluation Committee may require the Bidder to produce detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analyses, taking into consideration the schedule of estimated Contract payments, the Employer/ Evaluation Committee may require that the amount of the performance security be increased at the expense of the Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract
- 35.5 If a bid contains several items in the Bill of Quantities, which are unrealistically priced low in comparison to the estimate cost of Works / Schedule of Rates, and which cannot be substantiated by the bidder, the Employer/ Evaluation Committee may reject the bid as non-responsive.

#### **36.** Comparison of Bids

- 36.1 The Employer/ Evaluation Committee shall compare the evaluated prices of all substantially responsive bids established in accordance with ITB 35.2 to determine the lowest evaluated bid.
- 36.2 The additional criteria for comparison of bid prices of substantially responsive bidsare specified in Section IV Evaluation and Qualification Criteria

#### 37. Employer's Right to Accept Any Bid, and to Reject Any or All Bids

37.1 The Employer reserves the right to accept or reject any bid, and to cancel / annul the bidding process and reject all bids at any time prior to contract award, without thereby incurring any liability to the Bidders for which the Employer shall keep record of clearand logical reasons properly for any such action / recall of bidding process. In case of cancellation / annulment, all bids submitted and specifically, bid securities, shall be promptly returned to the Bidders.

# **F.** AWARD OF CONTRACT

#### **38.** Award Criteria

- 38.1 The Employer shall award the Contract to the Bidder whose bid has been accepted after evaluation of bids.
- **38.2** In the event if two or more bidders offering the same Bid Price, the Employer shall identify the bidder for award of contract on the basis of highest available bid capacity and complexity/volume of similar nature of works executed during any one of the last 5 years by the bidder as prime contractor as per the method **as described in Sub-Section C of Section IV Evaluation and Qualification Criteria.**
- 38.3 The contract shall not be awarded to more than one bidder by splitting thework

#### **39.** Notification of Award

- 39.1 Prior to the expiration of the period of bid validity, the Employer shall notify the successful Bidder, in writing, that its Bid has been accepted. The notification letter (herein after and in the Conditions of Contract and Contract Forms called the "Letter of Acceptance") shall specify the sum that the Employer will pay the selected bidder in consideration of the execution of works (hereinafter and in the Conditions of Contract and Contract Forms called "the Contract Price").
- **39.2** Until a formal Contract is prepared and executed, the Letter of Acceptance shall constitute a binding Contract.
- **39.3** The Employer shall promptly respond in writing to any unsuccessful Bidder who, after notification of award in accordance with ITB Para-39.1, requests in writing the grounds on which its bid was not selected.

#### **40.** Performance Security

- 40.1 Within twenty-eight (28) days of the receipt of Letter of Acceptance from the Employer, the successful Bidder, if required, shall furnish the Performance Security in accordance with the GCC, using the Performance Security Form included in Section IX Contract Forms, or another Form acceptable to the Employer.
- 40.2 Failure of the successful Bidder to submit the above-mentioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and

forfeiture of the Bid Security. In that event the Employer may award the Contract to the next lowest evaluated Bidder, whose bid is substantially responsive and is determined by the Employer to be qualified to perform the Contract satisfactorily.

40.3 The validity of the performance security shall be for a period of 45 days beyond the defect liability period.

# **41.** Signing of Contract

- 41.1 Promptly after issuing Notification of Award the Employer shall send the successful Bidder the Contract Agreement.
- 41.2 Within twenty-eight(28) days of receipt of the Contract Agreement, the successful Bidder shall sign, date, and return it to the Employer

# Section III – Bid Data Sheet (BDS)

The following specific data for the goods and related services to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB

ITB Para Reference	Particulars			
iterenet	A. General			
ITB 1.1	The reference number of the Notice Inviting Bids (NIB) is: NO. DVT /223/RIDF-XXVII (D)/2022-23/Dtd. Guwahati theAugust, 2022The Employer is: Director,A.H. & Vety. Deptt. Assam, Chenikuthi, Guwahati-3			
ITB 5.2	The bidders should fulfill the registration requirements stated below:1. Registered contractors of A. H. & Vety. and Dairy Development, Assam			
ITB 7.2	<u>www.assamvety@gmail.com</u> [insert name of website(s) where the Bidding Documents shall be officially published]			
	B. Bidding Documents			
ITB 8.1	The Employer's address for the purpose of any clarification is: A.H. & Vety. Deptt. Assam, Chenikuthi, Guwahati-3 Requests for clarification should be received by the Employer no later than: [7 days]			
ITB 8.2	<u>www.assamvety@gmail.com</u> [where the responses to clarifications requested by Bidders shall be officially published]			
ITB 9.1	Pre-Bid Meeting shall be scheduled: <i>on 08.08.2022</i> Venue: Engineering Section, A.H. & Vety. Deptt. Assam, Chenikuthi, Guwahati-3 Time and Date: <u>2.00pm on 08.08.2022</u>			
ITB 10.2	www.assamvety@gmail.com [where Amendment(s) shall be officially published]			
ITB 11.1 (ii)	The following schedules shall be submitted with the bid: Date:- 30.08.2022 before 2.00 PM			

C. Preparation of Bids				
ITB 11.1 (viii)	The Bidder shall submit the following additional documents in its Bid: <i>Nil</i>			
ITB 13.1	Alternative Bids "shall not be" considered.			
ITB 14.4	The price quoted by the bidder shall be <b>fixed</b> during the Bidder's performance of the Contract and shall not be subject to variation on any account.			
ITB 18.1	The bid validity period shall be 180 days after the deadline for bid submission.			
ITB 19.1	Cost of Bidding Documents <b>Rs.800.00 (Rupees eight hundred only)</b>			
ITB 20.3 (c)	Bid Security deposit through digital mode is "not permitted"			
ITB 20.3 (d)	Other acceptable forms of Bid Security: <u>Nil</u>			
ITB 20.8	In case bids are re-invited, the bid security originally deposited by a Bidder <b>"shall be"</b> considered.			
ITB 20.10	The bid security " <i>shall be</i> " adjusted with the amount of performance security required from him.			
ITB 21.1	In addition to the original of the Bid, the number of copies required is: One(1)			
ITB 21.2	The written confirmation of authorization to sign on behalf of the Bidder shall consist of: authorization shall consist of a written confirmation from original bidder.			
	D. Submission and Opening of Bids			
ITB 23.1	Employer's address for bid submission is: Director, A.H. & Vety. Deptt. Assam, Chenikuthi, Guwahati-3 <u>.</u> The deadline for Bid Submission is: <u>on or before <b>2.00PM of 30.08/2022</b></u>			

ITB 26.1	The bid opening shall take place at <u>:- Directorate of A.H. &amp; Vety. Deptt. Assam, Chenikuthi, Guwahati-3</u> The date and time for Bid opening is: <i>at</i> <b>3.00 PM on 30.08.2022</b>			
E. Evaluation and Comparison of Bids				
ITB 34.1	The Employer does not intend to execute certain specific parts of the Works by sub-contractors selected in advance.			
ITB 34.3	Sub contracting is Not permissible.         a. Deleted         b. Deleted         c. Deleted.			
ITB 35.3	Not applicable			

#### Section IV – Evaluation and Qualification Criteria

This Section contains all the criteria that the Employer shall use to evaluate a bid and qualify the Bidders. in accordance with ITB 35 and 36, no other factors, methods or criteria shall be used. The Bidder shall provide all the information requested in the forms included in Section VI-Bidding Forms.

#### 1. Evaluation - ITB 35.2(e)

In addition to the criteria listed in ITB 35.2 (a) - (d), the following criteria shall apply.

Evaluation of the Bidder's Technical Bid will include an assessment of the Bidder's technical capacity to mobilize key equipment and personnel for the contract consistent with its proposal regarding work methods, scheduling, and material sourcing in sufficient detail and fully in accordance with the requirements stipulated in **Section V** - **Works Requirements**. Such an evaluation shall be based on the qualification criteria listed below.

#### 2. Qualification Criteria:

#### A. Bidder should demonstrate that they fulfill the following qualification Criteria:

- a) The bidder should have achieved a minimum annual financial turnover in any single year (defined as a billing for works in progress and completed in all classes of civil engineering construction works only) over the last 5 (five) financial years 2017-18 to 2021-22 amounti to Rs.22.81L
- **b)** The bidder must be a profit-making entity for the last 5 (five) financial years 2017-18 to 2021-22.
- c) The bidder should have satisfactorily completed, as a prime contractor at least one similar work of value not less than Rs.9.00L.
- d) i. The bidder (or its sub contractor, if any) should possess valid electrical licence for executing electrical works of the project and should have executed similar electrical works for a minimum amount of Rs. 1.00 L in any one of the last 5 financial year in a single job. Incase the bidder is not in possession of such licence, the bidder must enter into a collaboration/tie up arrangement with such licence holder having requisite experience. such tie up must be submitted with NOTARY.

ii. GST registration certificate with upto date Challan.

iii. EPF with upto date ECR Statement & payment Challan along with upto date Labour Licence.

- e) Deleted.
- f) Deleted.
- g) Deleted
- h) The bidder should demonstrate that they have availability (either owned or leased or to be purchased) of the following critical equipment for this work: [insert list of critical equipment and their minimum number required]

No.	Equipment Type and Characteristics	Minimum Number required
1	Truck	1
2	Mixer machine	1

*i)* The bidder should have availability for this work, personnel with adequate qualification and experience as required below: *[insert list of personnel (their position / specialization with required qualification and relevant work experience]* 

Ite m No.	Position/specialization	Relevant academic qualifications	Minimum years of relevant work experience
1	Junior Engineer(civil)	Diploma in Civil engineering	3 years
2	Mohorara	HSLC passed	3 years

j) The bidder should have to submit up to date Bank Solvency.

**B.** To qualify for a package of contracts made up of this contract (in case bids are invited for multiple packages), bidder should demonstrate having experience and resources sufficiently to meet the qualification criteria for the contracts.

#### C. Deleted.

**D.** In case bids are invited in multiple lots, the bid capacity shall be assessed as follows: The Bidders who meet the minimum qualification criteria will be qualified only if their available bid capacity is more than the total bid value. The available bid capacity will be calculated asunder:

#### Assessed Available Bid Capacity = (A X N X 2 - B) (Ref. ITB Para 35.3)

Where

- A= Maximum value of civil Engineering works executed in any single year during the last five years (updated to the price level of the financial year <u>2017-18 to 2021-22</u> @5% per year indicated taking into account the completed as well as works in progress.
- N= Number of years prescribed for completion of the works for which bids are invited (period of 6 months to be taken as (1/2) half-year and more than six months as one year)
- B= Value, at the current price level, of the existing commitments on on-going works during the period of completion of the works for which bids are invited).

#### Section V – Works Requirements

A set of precise and clear Specifications is a pre requisite for bidders to respond realistically and competitively to the requirements of the Employer without qualifying or conditioning their bids. In the context of international competitive bidding, the Specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done shall the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of bids be ensured, and the subsequent task of Bid evaluation facilitated. The Specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of Specifications from previous similar projects in the same country are useful in to prepare Specifications. Most Specifications are normally written specially by the Employer or Project Manager to suit the Contract Works in hand. There is no standard set of Specifications for universal application in all sectors in all countries, but there are established principles and practices, which are reflected in these documents.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addendums should then adapt the General Specifications to apply them to the particular Works.

Care must be taken in drafting Specifications to ensure that they are not restrictive. In the Specifications of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the Specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, shall also be acceptable. To that effect, the following sample clause may be inserted in the Special Conditions or Specifications.

#### "Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified shall be accepted subject to the Project Manager's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Project Manager at least 28 days prior to the date when the Contractor desires the Project Manager's consent. In the event the Project Manager determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents."

These Notes for Preparing Specifications are intended only as information for the Employer or the person drafting the bidding documents. They should not be included in the final documents.

Drawings

Supplementary Information N/A

#### **Section VI - Bidding Forms**

#### **Table of Forms**

Bill of Quantities.

Form of Bid Security (Bank Guarantee)

Technical Proposal Forms

FormTECH-1:Site Organization.

FormTECH-2:Mobilization Schedule.

FormTECH-3:Construction Schedule

FormELIG-1.1:Information Form for Bidder

FormELIG-1.2:Information Form for Sub-Contractors.

FormQUAL-1: Annual Financial Turnover.

FormQUAL-2:Satisfactory Completion of Similar Contracts.

FormQUAL-3:Satisfactory Completion of Electrical Works.

FormQUAL-4:License for Executing Anti-Termite Works.

FormQUAL-5:License for Executing Fire-Fighting Work.

FormQUAL-6:Execution of Minimum Quantities of Works.

Form QUAL-7: Availability of Contractor' Equipment essential for carrying out Works.

Form QUAL-8: Availability of Contractor's Key Personnel.

Form QUAL-9: Availability of Liquid Assets/Credit Facility.. Form QUAL-10: Information on BidCapacity..

# Letter of Bid

**Bill of Quantities** 

#### Form of Bid Security (Bank Guarantee)

[Guarantor letterhead]

**Beneficiary:** [Insert name and address of the Employer] **Bid Ref. No:** [Insert reference number for the Invitation for Bids] **Date:** [Insert date of issue] **BID GUARANTEE No.:** [Insert guarantee reference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

We have been informed that [insert name of the Bidder, which in the case of a joint venture shall be the name of the joint venture (whether legally constituted or prospective) or the names of all members thereof] (hereinafter called "the Applicant") has submitted or will submit to the Beneficiary its bid (herein after called "the Bid")for the execution of [insert description of contract] under Invitation for Bid Ref. No. [insert number] ("the Bid Ref.No.").

Further more, we understand that, according to the Beneficiary's conditions, bids must be supported by a bid guarantee.

At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *[insert amount in letters](insert amount in numbers)* upon receipt by us of the Beneficiary's complying supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating either that the Applicant:

- a) has withdrawn its Bid during the period of bid validity specified by the Applicant in the Letter of Bid, or any extension thereto provided by the Applicant ;or
- b) having been notified of the acceptance of its Bid by the Beneficiary during the period of bid validity, fails to execute the Contract Agreement in accordance with the Instructions to Bidders ("ITB") of the Beneficiary's Bidding Documents.

This guarantee will expire :(a) if the Applicant is the successful Bidder, upon our receipt of copies of the contract agreement signed by the Applicant and the performance security issued to the Beneficiary upon the instruction of the Applicant; and (b) if the Applicant is not the successful Bidder, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the bidding process; or (ii) twenty-eight days after the end of the Bid Validity Period.

Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

[signature(s)]

Technical Proposal Forms

Form TECH-1: Site Organization

[insert Site Organization information]

### Form TECH-2: Mobilization Schedule

[insert Mobilization Schedule]

## Form TECH-3: Construction Schedule

[insert Construction Schedule]

#### Form ELIG -1.1: Information Form for Bidder

Date:

Bid Ref. No.and title:\_\_\_\_\_

Bidder's name

Bidder's Constitution or Legal Status:

[attach copy of Constitution, Article and Memorandum of Association]

Bidder's year of incorporation:

Bidder's Place of Business / legal address:

Bidder's Registration Status as approved Contractor:

[provide details of registering authority, class of registration, and its validity.

[attach Registration Certificate(s)]

Bidder's authorized representative information

Name:

Address:\_\_\_\_\_

Telephone/Fax numbers:
------------------------

E-mail address:

Bidder's authorized Signatory of Bid

Name:

Address:\_\_\_\_\_

Telephone/Faxnumbers:\_\_\_\_\_

E-mail address:\_\_\_\_\_

- 1. Attached are copies of original documents of
- □ Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above, in accordance with ITB 4.3.
- Annual Financial Statement / Audited Balance Sheets of Last 5 (five) Financial Years(F.Y. \_\_\_\_\_,F.Y.\_\_\_\_,F.Y.\_\_\_\_,F.Y.\_\_\_\_and F.Y.\_\_\_\_.
- □ Attach Power of Attorney in name of Bidder's Authorized Signatory of Bid
- □ Attach Bidder's Registration Certificate as 'Approved Contractor'
- 2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

Form ELIG -1.2: Information Form for Sub-Contractors

(to be completed for each Sub-Contractor)

Date:

Bid Ref. No. and title:

Sub-Contractor's name:

Sub-Contractor's Constitution or Legal Status:

[attached copy of Constitution, Article and Memorandum of Association]

Sub-Contractor's year of incorporation:

Sub-Contractor's Place of Business / legal address:

Sub-Contractor's Registration Status as approved Contractor:

[provide details of registering authority, class of registration, and its validity.

[attach Registration Certificate(s)]

Sub-Contractor's authorized representative information

Name:\_\_\_\_\_

Address:

Telen	hone/l	Faxnum	bers:	

E-mailaddress:

1. Attached are copies of original documents of

- □ Articles of Incorporation (or equivalent documents of constitution or association), and/or documentsofregistrationofthelegalentitynamedabove,inaccordancewithITB4.3.
- □ Annual Financial Statement / Audited Balance Sheets of Last 5 (five) Financial Years(F.Y. \_\_\_\_\_,F.Y. \_\_\_\_\_,F.Y. \_\_\_\_\_,F.Y. \_\_\_\_\_,andF.Y. \_\_\_\_\_.

□ Attach Sub-Contractor's Registration Certificate as 'ApprovedContractor'

2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

Form QUAL-1: Annual Financial Turnover

(Ref: Para 2.A. (a) of Section IV: Evaluation and Qualification Criteria)

For Prime Bidder: Name of Bidder:

Financial Year	Annual Financial Turnover (Rs. Cr.) (billing for works in progress and completed in all class engineering construction works only)
F.Y. <u>2017-18</u>	
F.Y. <u>2018-19</u>	
F.Y. <u>2019-20</u>	
F.Y. <u>2020-21</u>	
F.Y. <u>2021-22</u>	

Note: Attach Certificate issued by a Chartered accountant)

For Sub-contractor: Deleted Name of Sub-Contractor:

Financial Year	<b>Annual Financial Turnover (Rs. Cr.)</b> (billing for works in progress and completed in all class engineering construction works only)
F.Y	class engineering construction works only
F.Y	
F.Y	
F.Y	
<b>F.Y.</b>	

Note: Attach Certificate issued by a Chartered accountant. The credentials of Sub-contractor shall be considered for evaluation of Technical Bid subject to inclusion of proposal of sub-contract in the respective Contract Agreement. Further, work experience certificate of Sub-contractor should be vetted by both Employer and Main Contractor)

# Form QUAL-2: Satisfactory Completion of Similar Contracts

## (Ref: Para 2.A.(c) of Section IV: Evaluation and Qualification Criteria)

## For Prime Bidder: Name of Bidder:

Sl. No	Name of Employer	Brief Description of Work	Contract No.	Date of Issue of Work Order / Contract	Value of Contract (Rs.)	Stipulated period of Completion of Work	Actual date of completion	Remarks explaining reasons for delay, if any

Note: Attach Certificate issued by Engineer-In-Chief / Competent Authority of Employer

#### Form QUAL-3: Satisfactory Completion of Electrical Works

(Ref: Para 2.A.(d) of Section IV: Evaluation and Qualification Criteria)

For Prime Bidder: Name of Bidder:

- a) Do you possess valid Electrical license for executing Electrical Work? Yes /No [If Yes, attached such a License].
- b) In case, answer to the above question is 'No', have you entered into a collaboration/tie-up arrangement with such license holder having requisite experience? Yes /No.
   [If 'No, attach a collaboration / tie-up agreement registered in Court]
- c) Fill the table giving information asrequired.

Sl. No.	Name of Employer	Brief Description of Electrical Work		1	Actual date of completion	Remarks explaining reasons for delay, if any

Note: Attach Certificate issued by Engineer-In-Chief / Competent Authority of Employer

Form QUAL-4: License for Executing Anti-Termite Works

(Ref: Para 2.A.(e) of Section IV: Evaluation and Qualification Criteria)

For Prime Bidder: Name of Bidder:

- a) Do you possess valid license for executing anti-termite Work? Yes /No [If Yes, you will be required to submit such a License at the time of signing of agreement].
- **b)** In case, answer to the above question is 'No', have you planned to entered into a collaboration/tie-up arrangement with such license holder? **Yes** /**No.**

# (Not Applicable)

Form QUAL-5: License for Executing Fire-Fighting Work

(Ref: Para 2.A.(f) of Section IV: Evaluation and Qualification Criteria)

For Prime Bidder: Name ofBidder:

- a) Do you possess valid license for executing Fire-fighting Work? Yes /No [If Yes, you will be required to submit such a License from a competent authority at the time of signing of contract].
- **b)** In case, answer to the above question is 'No', have you planned to get such a license up to the time of award of contract? **Yes** /**No**.



# Form QUAL-6: Execution of Minimum Quantities of Works

(Ref: Para 2.A.(g) of Section IV: Evaluation and Qualification Criteria)

For Prime Bidder: Name of Bidder:

Financial	Name	Name of	Quantities of V	Vorks perfo	rmed	Remarks (attach
Year	of	Employer	Cement Concrete	Brick Work	Steel reinforceme	contract ref. no.
	Work		(including	(in	nt (In Qtl.)	and Certificate issued by
			RCC and PCC)			Executive
			(in Cubic Meters)	Meters)		Engineer/Compete
						nt Authority )
F.Y. <u>2017-18</u>						
F.Y. <u>2018-19</u>						
F.Y. <u>2019-20</u>						
F.Y. <u>2020-21</u>						
F.Y. <u>2021-22</u>						

# Form QUAL-7:

# Availability of Contractor' Equipment essential for carrying out Works

(Ref: Para 2.A.(h) of Section IV: Evaluation and Qualification Criteria)

Item of	Requir	rement		Ava	ailability		
Equipment	No.	Capacity	Owned / Leased / to be procured	Nos	Capacity	Age / Condition	Remarks (from whom to be purchased)

Form QUAL-8: Availability of Contractor's Key Personnel

(Ref: Para 2.A.(i) of Section IV: Evaluation and Qualification Criteria)

Bidders should provide the names and details of the suitably qualified Key Personnel to perform the Contract.

Note: The bidder should also provide Photographs of each Key Personnel along with their PAN Cards.

## **Key Personnel**

	Name of candidat	te:				
	Duration of appointment:	[insert the whole period (start and end dates) for which this position will be engaged]				
	Time commitment: for this position:	[insert the number of days/week/months/ that has been scheduled for this position]				
	Expected time schedule for this position:	[insert the expected time schedule for this position (e.g. attach high level Gantt chart]				
	Title of position:	[insert title]				
	Name of candidate:					
-	Duration of appointment:	[insert the whole period (start and end dates) for which this position will be engaged]				
	Time commitment: for this position:	[insert the number of days/week/months/ that has been scheduled for this position]				
	Expected time schedule for this position:	[insert the expected time schedule for this position (e.g. attach high level Gantt chart]				
	Title of position:	[insert title]				
	Name of candidat	te:				
	Duration of appointment:	[insert the whole period (start and end dates) for which this position will be engaged]				
	Time commitment: for this position:	[insert the number of days/week/months/ that has been scheduled for this position]				
	Expected time schedule for this position:	[insert the expected time schedule for this position (e.g. attach high level Gantt chart]				

Personnel information	Name:	Date of birth:			
	Address:	E-mail:			
	Professional qualification	18:			
{Paste Photograph}	Academic qualifications:				
Language proficiency: [language and levels of speaking, rea writing skills]					
Details					
	Address of employer:				
	Telephone:	Contact (manager / personnel officer):			
	Fax:				
	Job title:	Years with present employer:			

# Submit Resume in the format below for each Key Personnel along with Declaration:

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Project	Role	Duration of involvement	Relevant experience
[main project details]	[role and responsibilities on the project]	[time in role]	[describetheexperiencerelevanttoth is position]

## Declaration

I, the undersigned Key Personnel, certify that to the best of my knowledge and belief, the information contained in this Form correctly describes myself, my qualifications and experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Bid:

Commitment	Details
Commitment to duration of contract:	[insert period (start and end dates) for which this Key Personnel is available to work on this contract]
Time commitment:	[insert the number of days/ week/ months/ that this Key Personnel will be engaged]

I understand that any misrepresentation or omission in this Form may:

- (a) be taken into consideration during Bid evaluation;
- (b) my disqualification from participating in the Bid;
- (c) my dismissal from the contract.
- (d) I have attached copy of my PAN card

#### Name of Key Personnel: [insert name]

Signature:\_\_\_\_\_

Date: (day/ month/year):\_\_\_\_\_

#### Countersignature of authorized representative of the Bidder:

Signature:

Date: (day monthyear):\_\_\_\_\_

## Form QUAL-9: Availability of Liquid Assets / Credit Facility

(Ref: Para 2.A.(j) of Section IV: Evaluation and Qualification Criteria)

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts

Source of financing	Amount (Rs.)
1.	
2.	
3.	
4.	

Please submit Credit line / Letter of Credit / Certificate from Its Banker for meeting the fund requirement for execution of works.

## Form QUAL-10: Information on Bid Capacity

## (Ref: Para 2.C. of Section IV: Evaluation and Qualification Criteria)

## A) Works Completed / Executed and Work-in-progress:

Sr. No.	Financial Year	Value of Civil Engineering works executed/ completed /work-in-progress (Rs. in Lakh)
1		
2		
3		
4		
5		

Note: Certificate issued by Chartered Accountant should be submitted.

#### **B)** Existing Commitments and on-going Works:

Description of Work	Place & State	Contract No.	Name and address of Employer	Value of Contract (Rs.)	Stipulated period of Completion	Value of works remaining to be completed (Rs.)	Anticipated date of Completion

Note: Certificate issued by Chartered Accountant should be submitted.

#### Section VII – General Conditions of Contract

#### **Table of Clauses**

#### A. General

- 1. Definitions
- 2. Interpretation.
- 3. Language and Law
- 4. Project Manager's Decisions
- 5. Delegation.
- 6. Communications.
- 7. Subcontracting
- 8. Other Contractors
- 9. Personnel and Equipment
- 10. Employer's and Contractor's Risks
- 11. Employer's Risks.
- 12. Contractor's Risks.
- 13. Insurance
- 14. SiteData
- 15. Contractor to Construct the Works
- 16. The Works to Be Completed by the Intended Completion Date.
- 17. Approval by the Project Manager
- 18. Safety and Protection of the Environment
- 19. Discoveries
- 20. Possession of the Site
- 21. Access to the Site
- 22. Instructions, Inspections and Audits
- 23. Appointment of the Adjudicator
- 24. Procedure for Disputes
- 25. Code of Integrity
- B. Time Control

- 26. Program
- 27. Extension of the Intended Completion Date
- 28. Acceleration
- 29. Delays Ordered by the Project Manager
- 30. Management Meetings
- 31. Early Warning

#### C. Quality Control

- 32. Identifying Defects
- 33. Tests
- 34. Correction of Defects.-
- 35. Uncorrected Defects..

#### D. Cost Control

- 36. Contract Price
- 37. Changes in the Contract Price
- 38. Variations
- 39. Cash Flow Forecasts-
- 40. Payment Certificates
- 41. Payments
- 42. Compensation Events..
- 43. Tax
- 44. Currency.
- 45. Price Adjustment
- 46. Retention
- 47. Liquidated Damages
- 48. Bonus
- 49. Advance Payment
- 50. Securities
- 51. Day works..
- 52. Cost of Repairs
- E. Finishing the Contract
  - 53. Completion..
  - 54. Taking Over
  - 55. Final Account

- 56. Operating and Maintenance Manuals
- 57. Termination
- 58. Payment upon Termination
- 59. Property
- 60. Release from Performance

# **General Conditions of Contract**

#### **General Conditions of Contract**

## A. General

1. Definitions	The terms used in the Contract are defined below		
	a) The Accepted Contract Amount means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.		
	<b>b</b> )The Activity Schedule is a schedule of the activities comprising the construction, installation, testing, and commissioning of the Works in a lump sum contract. It includes a lump sum price for each activity, which is used for valuations and for assessing the effects of Variations and Compensation Events.		
	<b>c)</b> The Adjudicator is the person appointed jointly by the Employer and the Contractor to resolve disputes in the first instance, as provided for in GCC-23.		
	d)SCC means Special Conditions of Contract		
	e) Bill of Quantities means the priced and completed Bill of Quantities forming part of the Bid.		
	f) Compensation Events are those defined in GCC Clause 42 here under.		
	<b>g)</b> The Completion Date is the date of completion of the Works as certified by the Project Manager, in accordance with GCC Sub-Clause 53.1.		
	<b>h</b> )The Contract is the Contract between the Employer and the Contractor to execute, complete, and maintain the Works. It consists of the documents listed in GCC Sub- Clause 2.3 below.		
	i) The Contractor is the party whose Bid to carry out the Works has been accepted by the Employer.		
	<b>j</b> ) The Contractor's Bid is the completed bidding document submitted by the Contractor to the Employer.		
	<b>k</b> )The Contract Price is the Accepted Contract Amount stated in the Letter of Acceptance and thereafter as adjusted in accordance with the Contract.		
	<b>l)</b> Days are calendar days; months are calendar months.		
	m) Day works are varied work inputs subject to payment		

on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.
<b>n</b> )A Defect is any part of the Works not completed in accordance with the Contract.
<ul> <li>The Defects Liability Certificate is the certificate issued by Project Manager upon correction of defects by the Contractor on the latter's cost</li> </ul>
p) The Defects Liability Period is the period named in the SCC pursuant to Sub-Clause 34.1 and calculated from the Completion Date.
<b>q</b> ) Drawings means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Employer in accordance with the Contract, include calculations and other information provided or approved by the Project Manager for the execution of the Contract.
<b>r</b> ) The Employer is the party who employs the Contractor to carry out the Works, <b>as specified in the SCC</b> .
<b>S)</b> Equipment is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.
t) "In writing" or "written" means hand-written, type-written, printed or electronically made, and resulting in a permanent record;
<b>u</b> )The Initial Contract Price is the Contract Price mentioned in the Letter of Acceptance.
<b>v</b> ) The Intended Completion Date is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is <b>specified in the SCC</b> . The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.
<ul> <li>W) Materials are all supplies, including consumables, used by the Contractor for incorporation in the Works.</li> </ul>
X)Plant is any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.
y) The Project Manager is the person <b>named in the SCC</b> (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the

		execution of the Works and administering the Contract.		
		<b>Z</b> ) The Site is the area <b>defined as such in the SCC</b> .		
		<b>aa)</b> Site Investigation Reports are those that were included in the bidding documents and are factual and interpretative reports about the surface and sub surface conditions at the Site.		
		<b>bb)</b> Specification means the Specification of the Works included in the Contract and any modification or addition made or approved by the Project Manager.		
		(cc) The Start Date is <b>given in the SCC</b> . It is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.		
		(dd) A Subcontractor is a person or corporate body who has a Contract with the Contractor to carryout apart of the work in the Contract, which includes work on the Site.		
		(ee) Temporary Works are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.		
		(ff) A Variation is an instruction given by the Project Manager which varies the Works.		
		(gg) The Works are what the Contract requires the Contractor to construct, install, and turn over to the Employer, <b>as defined in the SCC</b> .		
2. Interpretation	2.1	In interpreting these GCC, words indicating one gender include all genders. Words indicating the singular also include the plural and words indicating the plural also include the singular. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Project Manager shall provide instructions clarifying queries about these GCC		
	2.2	If sectional completion is <b>specified in the SCC</b> , references in the GCC to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).		
	2.3	The documents forming the Contract shall be interpreted in the following order of priority:		
		(a) Agreement,		
		(b) Letter of Acceptance,		
		(c) Contractor's Bid,		

			(d) Special Conditions of Contract,
			(e) General Conditions of Contract, including Appendices,
			(f) Specifications,
			(g) Drawings,
			(h) Bill of Quantities, and
			(i) any other document <b>listed in the SCC</b> as forming part of the Contract
3.	Language and Law	3.1	The language of the Contract and the law governing the Contract shall be English.
		3.2	Throughout the execution of the Contract, the Contractor shall comply with the of law or regulations of Union of India and State of Assam
4.	Project Manager's Decisions	4.1	Except where otherwise specifically stated, the Project Manager shall decide contractual matters between the Employer and the Contractor in the role representing the Employer.
5.	Delegation	5.1	Otherwise <b>specified in the SCC</b> , the Project Manager may delegate any of his duties and responsibilities to other people, except to the Adjudicator, after notifying the Contractor, and may revoke any delegation after notifying the Contractor.
6.	Communications	6.1	Communications between parties that are referred to in the Conditions shall be effective only when in writing. A notice shall be effective only when it is delivered.
7.	Subcontracting	7.1	Deleated

8.	Other Contractors	8.1	The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Employer between the dates given in the Schedule of Other Contractors, as <b>referred to in the SCC.</b> The Contractor shall also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.
9.	Personnel and Equipment	9.1	The Contractor shall employ the key personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of key personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.
		9.2	If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.
		9.3	If the Employer/ Project Manager determines, that any employee of the Contractor be determined to have engaged in practices in contravention to Code of Integrity as defined in GCC Clause 25, during the execution of the Works, then that employee shall be removed in accordance with Clause 9.2 above.
10.	Employer's and Contractor's Risks	10.1	The Employer carries the risks which this Contract states are Employer's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.
11.	Employer's Risks	11.1	From the Start Date until the Defects Liability Certificate has been issued, the following are Employer's risks:
			a. The risk of personal injury, death, or loss of or damage to property (excluding the Works, Plant, Materials, and Equipment), which are due to
			I. use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works or
			II. negligence, breach of statutory duty, or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor.
			b. The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Employer or in the Employer's design, or due to war or

		radioactive contamination directly affecting the country where the Works are to be executed.
	11.2	<ul> <li>From the Completion Date until the Defects Liability Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is an Employer's risk except loss or damage due to-</li> <li>(a) a Defect which existed on the Completion Date,</li> <li>(b) an event occurring before the Completion Date, which was not itself an Employer's risk, or</li> <li>(c) the activities of the Contractor on the Site after the CompletionDate.</li> </ul>
12. Contractor's Risks	12.1	From the Starting Date until the Defects Liability Certificate has been issued, the risks of personal injury, death, and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Employer's risks are Contractor's risks.
13. Insurance	13.1	<ul> <li>The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles stated in the SCC for the following events which are due to the Contractor's risks: <ul> <li>a. loss of or damage to the Works, Plant, and Materials;</li> <li>b. loss of or damage to Equipment;</li> <li>c. loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract; and</li> <li>d. personal injury or death.</li> </ul> </li> </ul>
	13.2	Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation to be payable in the types required to rectify the loss or damage incurred.

		13.3	If the Contractor does not provide any of the policies and certificates required, the Employer/ Project Manager may affect the insurance which the Contractor should have provided and recover the premiums the Employer/ Project Manager has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.
		13.4	Alterations to the terms of an insurance shall not be made without the approval of the Project Manager.
		13.5	Both parties shall comply with any conditions of the insurance policies.
14.	Site Data	14.1	The Contractor shall be deemed to have examined any Site Data <b>referred to in the SCC</b> , supplemented by any information available to the Contractor
15.	ContractortoConstructtheWorks	15.1	The Contractor shall construct and install the Works in accordance with the Specifications and Drawings
16.	The Works to Be Completed by the Intended Completion Date	16.1	The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date
17.	Approval by the Project Manager	17.1	The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Project Manager, for his approval.
		17.2	The Contractor shall be responsible for design of Temporary Works.
		17.3	The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary Works.
		17.4	The Contractor shall obtain approval of third parties to the design of the Temporary Works, where required.
		17.5	All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Project Manager before this use.
18.	Safety and Protection of the Environment	18.1	The Contractor shall be responsible for the safety of all activities on the Site.
		18.2	Contractor shall take all reasonable steps to protect the environment (both on and off the Site) and to limit damage and nuisance to people and property resulting from pollution, noise and other results of his operations.

19.	Discoveries	19.1	Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Project Manager of such discoveries and carryout the Project Manager's instructions for dealing with them.
20.	Possession of the Site	20.1	The Employer shall give possession of the Site to the Contractor in full or in parts as specified in the SCC. If possession of a part is not given as <b>stated in the SCC</b> , the Employer shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event.
21.	Access to the Site	21.1	The Contractor shall allow the Project Manager and any person authorized by the Project Manager access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.
22.	22. Instructions, Inspections and Audits		The Contractor shall carry out all instructions of the Project Manager which comply with the applicable laws where the Site is located.
			The Contractor shall keep, and shall make all reasonable efforts to cause its Sub contractors and sub consultants to keep, accurate and systematic accounts and records in respect of the Works in such form and details as will clearly identify relevant time changes and costs.
		22.3	The Contractor shall permit and shall cause its Sub contractors and sub consultants to permit, the Employer and/or persons appointed by the Employer to inspect the Site and/or the accounts and records relating to the performance of the Contract and the submission of the bid, and to have such accounts and records audited by auditors appointed by the Employer if requested by the Employer.
23.	Appointment of the Adjudicator	23.1	The Adjudicator shall be appointed jointly by the Employer and the Contractor, at the time of the Employer's issuance of the Letter of Acceptance. The name of Adjudicator proposed by the Employer is <b>provided in the SCC</b> . If, in the Letter of Acceptance, the Employer does not agree on the appointment of the Adjudicator, the Employer will request the Appointing Authority <b>designated in the SCC</b> , to appoint the Adjudicator within 14 days of receipt of such request.

	23.2	Should the Adjudicator resign or die, or should the Employer and the Contractor agree that the Adjudicator is not functioning in accordance with the provisions of the Contract, a new Adjudicator shall be jointly appointed by the Employer and the Contractor. In case of disagreement between the Employer and the Contractor, within 30 days, the Adjudicator shall be designated by the Appointing Authority <b>designated in</b> <b>the SCC</b> at the request of either party, within 14 days of receipt of such request.
24. Procedure for Disputes	24.1	If the Contractor believes that a decision taken by the Project Manager was either outside the authority given to the Project Manager by the Contract or that the decision was wrongly taken, the decision shall be referred to the Adjudicator within 14 days of the notification of the Project Manager's decision.
	24.2	The Adjudicator shall give a decision in writing within 28 days of receipt of a notification of a dispute.
	24.3	The Adjudicator shall be paid by the hour at the <b>rate specified in the SCC</b> , together with reimbursable expenses of the types <b>specified in the SCC</b> , and the cost shall be divided equally between the Employer and the Contractor, whatever decision is reached by the Adjudicator. Either party may refer a decision of the Adjudicator to an Arbitrator within 28 days of the Adjudicator's written decision. If neither party refers the dispute to arbitration within the above 28 days, the Adjudicator's decision shall be final and binding.
	24.4	The arbitration shall be conducted in accordance with the arbitration procedures published by the institution named and in the place <b>specified in the SCC.</b>
25. Code of Integrity	25.1	The Employer and all officers or employees of the Employer, whether involved in the procurement process or otherwise, or Contractors and their representatives or consultants orservice providers participating in a procurement process or other persons involved, directly or indirectly in any way in a procurement process shall maintain an unimpeachable standard of integrity.
	25.2	Govt. of Assam prescribes to the Employer and Contractors to uphold the Code of Integrity,

<u>г</u>	
	which prohibits officers or employees of Employer or a person participating in a
	procurement process the following:
	(i) any offer, solicitation or acceptance of any
	bribe, reward or gift or any material benefit,
	either directly or indirectly, in exchange for an
	unfair advantage in the procurement process
	or to otherwise influence the procurement
	process;
	<ul> <li>(ii) any omission, including a misrepresentation that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;</li> </ul>
	(iii) any collusion, bid rigging or anti-
	competitive behavior to impair the transparency, fairness and progress of the procurement process;
	<ul> <li>(iv) improper use of information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process or for personal gain;</li> </ul>
	<ul> <li>(v) any financial or business transactions between the bidder and any officer or employee of the procuring entity, who are directly or indirectly related to tender or execution process of contract; threatening to do the same, directly or indirectly</li> </ul>
	<ul><li>(vi) to any party or to its property to influence the procurement process;</li></ul>
	<ul><li>(vii) any obstruction of any investigation or audit of a procurement process;</li></ul>
	(viii) making false declaration or providing false information for participation in-
	<ul> <li>tender process or to secure a contract;</li> </ul>
	<ul> <li>disclosure of Conflict ofInterest;</li> </ul>
	<ul> <li>disclosure by the contractor of any previous transgressions with any entity in India or any other country during the last three years or of any debarment by any other procuring</li> </ul>
	accument of any other protaining

		entity.	
B. Time Control	25.2	<ul> <li>In case of any breach of the Code of Integrity by a contractor, as the case may be, the Employer after giving a reasonable opportunity of being heard, may take appropriate measures including— <ul> <li>a. exclusion of the contractor from the procurement process;</li> <li>b. calling off of pre-contract negotiations and forfeiture or encashment of bidsecurity;</li> <li>c. forfeiture or encashment of any other security or bond relating to procurement;</li> <li>d. recovery of payments made by the Employer along with interest thereon at bank rate;</li> <li>e. cancellation of the relevant contract and recovery of compensation for loss incurred by theEmployer;</li> <li>f. debarment of the contractor from participation in future procurements of any Procuring Entity for a period not exceeding threeyears</li> </ul> </li> </ul>	
B. Thine Control			
26. Program	26.1	Within the time <b>stated in the SCC</b> , after the date of the Letter of Acceptance, the Contractor shall submit to the Project Manager for approval a Program showing the general methods, arrangements, order, and timing for all the activities in the Works. In the case of a lump sum contract, the activities in the Program shall be consistent with those in the Activity Schedule.	
	26.2	An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence of the activities.	

	26.3	The Contractor shall submit to the Project Manager for approval an updated Program at intervals no longer than the period <b>stated in the</b> <b>SCC</b> . If the Contractor does not submit an updated Program within this period, the Project Manager may withhold the amount <b>stated in the SCC</b> from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program has been submitted. In the case of a lump sum contract, the Contractor shall provide an updated Activity Schedule within 14 days of being instructed to by the Project Manager.
	26.4	The Project Manager's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the Project Manager again at any time. A revised Program shall show the effect of Variations and Compensation Events
27. Extension of the Intended Completion Date	27.1	The Employer on the recommendation of the Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which would cause the Contractor to incur additional cost.
	27.2	The Employer on the recommendation of the Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager for a decision upon the effect of a Compensation Event or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.
28. Acceleration	28.1	When the Employer wants the Contractor to finish before the Intended Completion Date, the Project Manager shall obtain priced proposals for achieving the necessary acceleration from the Contractor. If the Employer accepts these proposals, the Intended Completion Date shall be adjusted accordingly and confirmed by both the Employer and the Contractor.

		31.2	<ul> <li>execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.</li> <li>31.2 The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by</li> </ul>
31.	Early Warning	31.1	31.1 The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price, or delay the
		30.2	The Project Manager shall record the business of management meetings and provide copies of the record to those attending the meeting and to the Employer. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.
30.	Management Meetings	30.1	Either the Project Manager or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.
29.	<b>Delays</b> Ordered by the Project Manager	29.1	The Project Manager may instruct the Contractor to delay the start or progress of any activity within the Works.
		28.2	If the Contractor's priced proposals for an acceleration are accepted by the Employer, they are incorporated in the Contract Price and treated as a Variation.

		any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a Defect and to uncover and test any work that the Project Manager considers may have a Defect.
<b>33</b> . Test	33.1	If the Project Manager instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no Defect, the test shall be a Compensation Event.
34. Correction of Defects	34.1	The Project Manager shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion, and is <b>defined in</b> <b>the SCC.</b> The Defects Liability Period shall be extended for as long as Defects remain to be corrected
	34.2	Every time notice of a Defect is given; the Contractor shall correct the notified Defect within the length of time specified by the Project Manager's notice at the Contractor's own cost.
35. Uncorrected Defects	35.1	If the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount.
D. Cost Control		
36. Contract Price	36.1	The Bill of Quantities shall contain priced items for the Works to be performed by the Contractor. The Bill of Quantities is used to calculate the Contract Price. The Contractor will be paid for the quantity of the work accomplished at the rate in the Bill of Quantities for each item.

37. Changes in the	<b>x</b>	
Contract Price	37.1	The Project Manager shall not adjust rates from changes in quantities without the prior approval of the Employer.
	37.2	If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost break down of any rate in the Bill of Quantities
38. Variations	38.1	All Variations shall be included in updated Programs produced by the Contractor.
	38.2	The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.
	38.3	If the work in the Variation corresponds to an iteme description in the Bill of Quantities and if, in the opinion of the Project Manager, the quantity of work above the limit stated in Sub-Clause 39.1 or the timing of its execution donot cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation.
39. Cash Flow Forecasts	39.1	When the Program is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast
40. Payment Certificates	40.1	The Contractor shall submit to the Project Manager monthly statements of the estimated value of the work executed less the cumulative amount certified previously.
	40.2	The Project Manager shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.
	40.3	The value of work executed shall be determined by the Project Manager
	40.4	The value of work executed shall comprise the value of the quantities of work in the Bill of Quantities that have been completed.
	40.5	The value of work executed shall include the
	40.6	valuation of Variations and Compensation Events.The Project Manager may exclude any item certifiedin a previous certificate or reduce the proportion ofany item previously certified in any certificate in thelight of laterinformation.
41. Payments	41.1	Payments shall be adjusted for deductions for advance payments and retention, as the case may be. The Employer shall pay the Contractor the amounts certified by the Project Manager within 28 days of

		the date of each certificate. If the Employer makes a late payment, the Contractor may claim interest on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made upto the date when the late payment is made at the rate of interest <b>as provided</b> <b>in SCC</b> .
	41.2	If an amount certified is increased in a later certificate or as a result of an award by the Adjudicator or an Arbitrator, the Contractor shall be paid interest upon the delayed payment as setout in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
	41.3	Items of the Works for which no rate or price has been entered in shall not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.
	41.4	The document of Forest Royalty submitted by the bidder during process of payment, certificate shall be verified and confirmed from the competent authority of Forest Department.
42. Compensation Events	42.1	The following shall be deemed as Compensation Events:
		<ul><li>(a) The Employer does not give access to a part of the Site pursuant to GCC Sub-Clause 20.1.</li></ul>
		(b) The Employer modifies the Schedule of Other Contractors in a way that affects the work of the Contractor under the Contract.
		(c) The Project Manager does not issue Drawings, Specifications, or instructions required for execution of the Works on time.
		(d) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon work, which is then found to have no Defects.
		e. The Project Manager unreasonably does not approve a subcontract to be let.
		f. Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of theLetter of Acceptance from the information issued to bidders (including the Site Investigation

		Reports), from information available publicly and from a visual inspection of the Site.
		g. The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.
		<ul> <li>h. Other contractors, public authorities, utilities, or the Employer does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.</li> </ul>
		i. The effects on the Contractor of any of the Employer's Risks.
		j. The Project Manager unreasonably delays issuing a Certificate of Completion.
	42.2	If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended CompletionDate, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager, with prior approval from Employer, shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.
	42.3	As soon as information demonstrating the effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly by the Employer.
	42.4	The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor's not having given early warning or not having cooperated with the Project Manager.
<b>43.</b> Tax	43.1	The Employer shall adjust the Contract Price if taxes, duties, and other levies are changed between the date 28 days before the submission of bids for the Contract and the date of the last Completion certificate. The adjustment shall be the change in the amount of tax payable by the Contractor, provided such changes are not already reflected in the Contract Price.
<b>44.</b> Currency	44.1	The payments shall be made in Indian Rupees only

45.	Price Adjustment	45.1	Prices shall be adjusted for fluctuations in the cost of inputs only if provided for in the SCC and in the manner provided therein
46.	Retention	46.1	Deleated
47.	Liquidated Damages	47.1	The Contractor shall pay liquidated damages to the Employer at the rate per day <b>stated in the SCC</b> for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount <b>defined in the SCC.</b> The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.
		47.2	If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor may claim interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in GCC Sub-Clause 41.1.
48.	Bonus	48.1	The Contractor shall be paid a Bonus calculated at the rate specified <b>in the SCC</b> for each day (less any days for which the Contractor is paid for acceleration) that the Completion is earlier than the Intended Completion Date. The Project Manager shall certify that the Works are complete, although they may not be due to be complete.
49.	Advance Payment	49.1	No advance payment will be granted

<b>50.</b> Securities	50.1	The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form <b>specified in the SCC</b> , . The Performance Security shall be valid until a date 28 days from the date of issue of the Certificate of Completion
51. Day works	51.1	If applicable, the Dayworks rates in the Contractor's Bid shall be used only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.
	51.2	All work to be paid for as Day works shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the work being done.
	51.3	The Contractor shall be paid for Day works subject to obtaining signed Day works forms.
52. Cost of Repairs	52.1	Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.
E. Finishing the Contract		
53. Completion		The Contractor shall request the Project Manager to issue a Certificate of Completion of the Works, and the Project Manager shall do so upon deciding that the whole of the Works is completed
54. Taking Over	54.1	The Employer shall take over the Site and the Works within seven days of the Project Manager's issuing a certificate of Completion
55. Final Account	55.1	The Contractor shall supply the Project Manager with a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 56 days a schedule that states the scope of thecorrectionsoradditionsthatarenecessary.IftheFinal

56. Operating and Maintenance Manuals	56.1 56.2	Accountisstill unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a payment certificate. If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates <b>stated in the SCC</b> . If the Contractor does not supply the Drawings and/or
		manuals by the dates <b>stated in the SCC</b> pursuant to GCC Sub-Clause 56.1, or they donot receive the Project Manager's approval, the Project Manager shall withhold the amount <b>stated in the SCC</b> from payments due to the Contractor
57. Termination	57.1	The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.
	57.2	<ul> <li>Fundamental breaches of Contract shall include, but shall not be limited to, the following: <ul> <li>a. the Contractor stops work for 28 days when no stoppage of work is shown on the current Program and the stoppage has not been authorized by the Project Manager;</li> <li>b. the Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation;</li> <li>c. a payment certified by the Project Manager is not paid by the Employer to the Contractor within 84 days of the date of the Project Manager's certificate;</li> <li>d. the Project Manager gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it with in areas on able period of time determined by the Project Manager;</li> <li>e. the Contractor does not maintain a Security, which is required;</li> <li>f. the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as defined in the SCC; or</li> <li>g. if the Contractor, in the judgment of the Employer, has acted in contravention of the Code of Integrity prescribed in GCC Clause25, thentheClientmay, aftergivingfourtee</li> </ul> </li> </ul>

		n(14)days written notice to the Contractor, terminate the Contract and expel him from the Site.
	57.3	When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under GCC Sub-Clause 56.2 above, the Project Manager shall decide whether the breach is fundamental or not.
	57.4	Notwithstanding the above, the Employer may terminate the Contract for convenience.
	57.5	If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.
<b>58.</b> Payment upon Termination	58.1	If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the work done and materials supplied less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as <b>specified in the SCC.</b> Additional Liquidated Damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be a debt payable to the Employer
	58.2	If the Contract is terminated for the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Project Manager shall issue a certificate for the value of the work done, materials supplied, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works., and less advance payments received up to the date of the certificate.

59. Property	59.1	All Materials on the Site, Plant, Equipment, Temporary Works, and Works shall be deemed to be the property of the Employer if the Contract is terminated because of the Contractor's default.
60 Release from Performance	60.1	If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment was made.

# Section VIII. Special Conditions of Contract

	A. General						
GCC 1.1 (s)	The Employer is Director, A.H.& Vety. Deptt.Assam, Chenikuthi Guwahati-3.						
GCC 1.1 (v)	The Intended Completion Date for the whole of the Works shall be 30.10.2022						
GCC 1.1 (y)	The Project Manager is <i>Executive Engineer</i> , A H & Veterinary, Deptt. Assam Chenikuthi, Guwahati-3.						
GCC 1.1 (aa)	The Site is located Barpeta Dist. Assam.						
GCC 1.1 (dd)	The Start Date shall be 01.08.2022						
GCC 1.1 (hh)	The Works consist of <i>Brick work, RCC work, water-Supply &amp; Sanitary</i> works ,electrifications etc. as per Bill of Quantity						
GCC 2.2	Sectional Completions are: N/A						
GCC 2.3(i)	The following documents also form part of the Contract: <i>N/A</i>						
GCC 5.1	The Project manager <i>may not</i> delegate any of his duties and responsibilities.						
GCC 8.1	Schedule of other contractors: <i>N</i> / <i>A</i>						
GCC 9.1	Key Personnel						
	GCC 9.1 is replaced with the following:						
	<ul><li>9.1 Key Personnel are the Contractor's personnel named in this GCC 9.1 of the Special Conditions of Contract. The Contractor shall employ the</li></ul>						

GCC 26.1	The Contractor shall submit for approval a Program for the Works within <i>[number]</i> days from the date of the Letter of Acceptance.					
	B. Time Control					
GCC 24.4	Institution whose arbitration procedures shall be used:					
GCC 24.3	Hourly rate and types of reimbursable expenses to be paid to the Adjudicator: [insert hourly fees and reimbursable expenses].					
GCC 23.1 & 23.2	Appointing Authority for the Arbitrator: <i>[insert name of Authority]</i> .					
GCC 23.1	The name of Adjudicator proposed by the Employer is [insert name of Adjudicator]					
GCC 20.1	The Site Possession timelines shall be: <i>[insert location(s) and date(s), as required]</i>					
GCC 14.1	(ii) of other people:[amount].         Site Data are: [list Site Data]					
	(i) of the Contractor's employees: [amount].					
	(d) for personal injury or death:					
	(c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract <i>[insert amounts]</i> .					
	(b) For loss or damage to Equipment: [insertamounts].					
	(a) for loss or damage to the Works, Plant and Materials: <i>[insertamounts]</i> .					
[insert the name/s of each Key Personnel agreed by the Emp to Contract signature.]GCC 13.1The minimum insurance amounts and deductibles shall be:						
	Key Personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of Key Personnel and equipment only if their relevant qualificationsorcharacteristicsaresubstantiallyequaltoorbetterthan those proposed in the Bid.					

	The amount to be withheld for late submission of an updated Program is <i>[insert amount]</i> .					
C. Quality Control						
GCC 34.1The Defects Liability Period is: 180 days.						
	[The Defects Liability Period is usually limited to 12 months, but could be less in very simple cases]					
	D. Cost Control					
GCC 45.1	The Contract <i>[insert "is" or "is not"]</i> subject to price adjustment in accordance with GCC Clause 45, and the following information regarding coefficients <i>[specify "does" or "does not"]</i> apply.					
	[Price adjustment is mandatory for contracts which provide for time of completion exceeding 18 months]					
	The coefficients for adjustment of prices are:					
	<ul><li>(i) [insert percentage] percent non adjustable element(coefficient A).</li></ul>					
	<ul><li>(ii) [insert percentage] percent adjustable element (coefficientB).</li><li>The Index I shall be [insert index].</li></ul>					
GCC 46.1	The proportion of payments retained is: <i>[insert percentage]</i>					
	[The retention amount is usually close to 5 percent and in no case exceeds 10 percent.]					
GCC 47.1	The liquidated damages for the whole of the Works are <i>[insert percentage of the final Contract Price]</i> per day. The maximum amount of liquidated damages for the whole of the Works is <i>[insert percentage]</i> of the final Contract Price.					
	[Usually liquidated damages are set between 0.05 percent and 0.10 percent per day, and the total amount is not to exceed between 5 percent and 10 percent of the Contract Price. If Sectional Completion and Damages per Section have been agreed, the latter should be specified here]					
GCC 48.1	The Bonus for the whole of the Works is <i>[insert percentage of final Contract Price]</i> per day. The maximum amount of Bonus for the whole of the Works is <i>[insert percentage]</i> of the final Contract Price.					

	[If early completion would provide benefits to the Employer, this clause should remain; otherwise delete. The Bonus is usually numerically equal to the liquidated damages.]				
GCC 49.1	<b>CC 49.1</b> The Advance Payments shall be: <i>[insert amount(s)]</i> and shall be paid to the Contractor no later than <i>[insert date(s)]</i> .				
GCC 50.1	GCC 50.1Performance Security in the form of any one of the forms viz.Bank Guarantee or FDR or TDR issued by any commercial scheduled Bank or any other form acceptable to the Employer : in the amount of Rs. <i>[insert related figure]</i> percent of the Accepted Contract Amount.				
	E. Finishing the Contract				
GCC 56.1	The date by which operating and maintenance manuals are required is <i>[insert date]</i> .				
	The date by which "as built" drawings are required is [insert date].				
GCC 56.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is <i>[insert amount]</i> .				
GCC 57.2 (g)	The maximum number of days is: [insert number; consistent with Clause 47.1 on liquidated damages].				
GCC 58.1	The percentage to apply to the value of the work not completed, representing the Employer's additional cost for completing the Works, is <i>[insert percentage]</i> .				

## Section – IX Contract Form

## **Contract Agreement**

[The successful Bidder shall fill in this form in accordance with the instructions indicated]

The Employer and the Contractor agree as follows:

- a. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.
- b. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other Contractdocuments.
- i. the Letter of Acceptance
- ii. the Letter of Bid
- iii. the addenda Nos\_\_\_\_\_(if any)
- iv. the Particular Conditions
- v. the General Conditions of Contract, includingAppendices;
- vi. theSpecification
- vii. the Drawings
- viii. Bill of Quantities; and
- ix. any other document listed in the SCC as forming part of theContract;
- c. In consideration of the payments to be made by the Employer to the Contractor as specified in this Agreement, the Contractor hereby covenants with the Employer to execute the Works and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- d. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or

such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of India\_\_\_\_\_on the day, month and year specified above.

Signedby:

Signed by:

for and on behalf of the Employer

for and on behalf the Contractor

in the presence of:

in the presence of:

Witness, Name, Signature, Address, Date

Witness, Name, Signature, Address, Date

## Letter of Acceptance

## [on letterhead paper of the Employer]

..... date.....

## To: [insert name and address of the Contractor]

Subject: Contract No. . . . . . . . .

This is to notify you that your Biddated \_\_\_\_\_ [insert date of bid submitted by the bidder] for the execution of \_\_\_\_\_\_ [insert brief description of work] against Bid InvitationRef.No. \_\_\_\_\_\_ (insert Bid Ref. No.] is hereby accepted by the Employer for the Contract AmountofRs. \_\_\_\_\_\_ [insert amount in numbers and words], as corrected and modified in accordance with the Instructions to Bidders.

You are requested to furnish the Performance Security within 28 days in accordance with the Conditions of Contract, using for that purpose the *of* the Performance Security Form included in Section IX, Contract Forms of the Bidding Documents.

Authorized Signature:
Name and Designation of Signatory:
Name of Employer:

# **Performance Security (Bank Guarantee)**

[Guarantor letterhead]

Beneficiary: [insert name and Address of Employer]

**Date:** *[Insert date of issue]* 

# **PERFORMANCEGUARANTEENo.:** [Insert guarantee referencenumber]

**Guarantor:** [Insert name and address of place of issue, unless indicated in the letterhead]

We have been informed that \_ [insert name of Contractor] (hereinafter called "the Applicant") has entered into Contract No. [insert reference number of the contract] dated [insert date] with the Beneficiary, for the execution of \_ [insert name of contract and brief description of Works] (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Applicant, we as Guarantor, hereby irrevocably undertake to pay the Beneficiaryanysumorsumsnotexceedingintotalanamountof[insertamountinfigures](\_\_\_\_\_)

*[insert amount in words]*,<sup>1</sup> such sum being payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separatesigneddocumentaccompanyingoridentifyingthedemand, statingthattheApplicantisin breach of its obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specifiedtherein.

This guarantee shall expire, no later than the .... Day of .....,  $2...^2$ , and any demand for payment under it must be received by us at this office indicated above on or before that date.

[signature(s)]

# **Bill of Quantities**

**Objectives** 

*The objectives of the Bill of Quantities are:* Construction of Vety. Dispy. Building with Water Supply, Sanitary and Internal electrification works at Ganakkuchi State Vety. Dispy, in Barpeta District

*Provisional Sums:-* Rs. 22,81,000.00

# **Bill of Quantities:-**

Sl. No	Item Description	Quantity	Units	Basic rate in figures to be entered by the bidder in Rs.	Total amount in figures in Rs.	Total amount in words
1	2	3	4	5	6	7
1	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-incharge. All kinds of soil	14.961	Cum			
2	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.	25.500	Sq.m			
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	1.572	Cum			
4	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Cold twisted bars	2860.994	Cum			
5	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings,	83.500	Sq.m			

	bases of columns, etc. for				
	massconcrete				
6	Centering and shuttering including	11.540	Sq.m		
	strutting, propping etc. and removal	11.5 10	54.111		
	of form for Suspended floors, roofs,				
	landings, balconies and access				
	platform				
7	Centering and shuttering including	63.060	Cum		
	strutting, propping etc. and removal				
	of form for Lintels, beams, plinth				
	beams, girders, bressumers and				
	cantilevers				
8	Centering and shuttering including	87.110	Sq.m		
	strutting, propping etc. and removal				
	of form for Columns, Pillars, Piers,				
	Abutments, Posts and Struts				
9	Providing and laying in position	6.700	Cum		
	cement concrete of specified grade				
	excluding the cost of centering and				
	shuttering - All work up to plinth				
	level : 1:2:4 (1 cement : 2 coarse				
	sand (zone-III) derived from natural sources : 4 graded stone aggregate				
	20 mm nominal sizederived from				
	natural sources)				
10	Providing and laying cement	6.100	Cum		
10	concrete in retaining walls, return	0.100	Culli		
	walls, walls (any thickness)				
	including attached pilasters,				
	columns, piers, abutments, pillars,				
	posts, struts, buttresses, string or				
	lacing courses, parapets, coping, bed				
	blocks, anchor blocks, plain window				
	sills, fillets, sunken floor etc., up to				
	floor five level, excluding the cost				
	of centering, shuttering and				
	finishing: 1:3:6 (1 cement : 3				
	manufactured sand derived from				
	Recycled Concrete Aggregate				
	(RCA) : 6 graded stone aggregate				
	20mm nominal size Recycled				
11	Aggregate (RA)) Brick work with common burnt clay	15.030	Cum		
11	F.P.S. (non modular) bricks of class	15.050	Cuiil		
	designation 7.5 in foundation and				
	plinth in: Cement mortar 1:4 (1				
	cement : 4 coarse sand)				
12	Providing and laying damp-proof	10.500	Sq.m		
1.2	course 50mm thick with cement	10.000	~ 1		
	concrete 1:2:4 (1 cement : 2 coarse				
	sand (zone-III) derived from natural				
	sources : 4 graded stone aggregate				
	20mm nominal size derived from				
	natural sources).				

				1	1	1
13	Excavating, supplying and filling of	80.000	Cum			
	local earth (including royalty) by					
	mechanical transport upto a lead of					
	5km also including ramming and					
	watering of the earth in layers not					
	exceeding 20 cm in trenches, plinth,					
	sides of foundation etc. complete.					
14	*	139.810	Cum			
14	Half brick masonry with common	139.010	Cum			
	burnt clay F.P.S. (non modular)					
	bricks of class designation 7.5 in					
	superstructure above plinth level up					
	to floor V level.					
15	Providing and fixing pressed steel	50.200	Metre			
	door frames conforming to IS: 4351,					
	manufactured from commercial mild					
	steel sheet of 1.60 mm thickness,					
	including hinges, jamb, lock jamb,					
	bead and if required angle threshold					
	of mild steel angle of section 50x25					
	mm, or base ties of 1.60 mm,					
	pressed mild steel welded or rigidly					
	fixed together by mechanical means,					
	including M.S. pressed butt hinges					
	2.5 mm thick with mortar guards,					
	lock strike-plate and shock					
	absorbers as specified and applying					
	a coat of approved steel primer after					
	pre-treatment of the surface as					
	directed by Engineer-in-charge:					
	Fixing with carbon steel galvanised					
	dash fastener of required dia and					
	size (to be paid for separately)					
16	Providing and fixing aluminium	250.200	Kg			
_	work for doors, windows,		0			
	ventilators and partitions with					
	extruded built up standard tubular					
	sections/ appropriate Z sections and					
	other sections of approved make				1	
	conforming to IS: 733 and IS: 1285,				1	
	fixing with dash fasteners of				1	
	required dia and size, including				1	
	necessary filling up the gaps at				1	
	junctions, i.e. at top, bottom and				1	
	sides with required EPDM rubber/				1	
	neoprene gasket etc. Aluminium				1	
	sections shall be smooth, rust free,				1	
	straight, mitred and jointed				1	
	mechanically wherever required				1	
	including cleat angle, Aluminium				1	
	snap beading for glazing / paneling,				1	
	C.P. brass / stainless steel screws, all				1	
	complete as per architectural				1	
	drawings and the directions of					
	-					
	Engineer-in-charge. (Glazing,			ļ	ļ	l

				1		I
	paneling and dash fasteners to be					
	paid for separately) For fixed					
	portion Anodised aluminium					
	(anodised transparent or dyed to					
	required shade according to IS:1868,					
	Minimum anodic coating of grade					
	AC 15)					
17	Providing and fixing M.S. grills of	450.000	Kg			
1,	required pattern in frames of	1201000	119			
	windows etc. with M.S. flats, square					
	or round bars etc. including priming					
	coat with approved steel primer all					
	complete. Fixed to openings					
	/wooden frames with rawl plugs					
	screws etc					
10		18.100	S.c			
18	Providing and fixing ISI marked	18.100	Sq.m			
	flush door shutters conforming to					
	IS:2202 (Part I) non-decorative type,					
	core of block board construction					
	with frame of 1st class hard wood					
	and well matched commercial 3 ply					
	veneering with vertical grains or					
	cross bands and face veneers on					
	both faces of shutters: 35 mm thick					
	including ISI marked Stainless Steel					
	butt hinges with necessary screws					
19	Structural steel work riveted, bolted	1620.002	Kg			
	or welded in built up sections,					
	trusses and framed work, including					
	cutting, hoisting, fixing in position					
	and applying a priming coat of					
	approved steel primer all complete.					
20	15 mm cement plaster on the rough	317.330	Sq.m			
	side of single or half brick wall of					
	mix : 1:4 (1 cement: 4 fine sand)					
21	Providing corrugated G.S. sheet	161.570	Sq.m			
	roofing including vertical / curved					
	surface fixed with polymer coated J					
	or L hooks, bolts and nuts 8 mm					
	diameter with bitumen and G.I.					
	limpet washers or with G.I. limpet					
	washers filled with white lead,					
	including a coat of approved steel					
	primer and two coats of approved					
	paint on overlapping of sheets					
	complete (up to any pitch in					
	horizontal/ vertical or curved					
	surfaces), excluding the cost of					
	purlins, rafters and trusses and					
	including cutting to size and shape					
	wherever required. 0.63 mm thick					
	with zinc coating not less than 275					
	$gm/m^2$					
22	Providing ridges or hips of width 60	33.200	Metre			
	6 6r <sup>2</sup> 61			1	1	1

				I	1	
	cm overall width plain G.S. Sheet					
	fixed with polymer coated J or L					
	hooks, bolts and nuts 8 mm dia G.I.					
	limpet and bitumen washers					
	complete. 0.63 mm thick with zinc					
	coating not less than 275 gm/m <sup>2</sup>					
23	Extra for using veneered particle	71.000	Metre			
25	board conforming to IS 3097 Grade	/1.000	wiene			
	e					
	I, in item of pelmet 18mm thick					
	150mm wide. Particle board with					
	decorative veneering on both sides					
24	Cement plaster skirting up to 30 cm	38.500	Sq.m			
	height, with cement mortar 1:3 (1					
	cement : 3 coarse sand), finished					
	with a floating coat of neat cement.					
	11.6.1 18 mm thick					
25	Providing and fixing aluminium	9.000	Each			
	sliding door bolts, ISI marked		_			
	anodised (anodic coating not less					
	than grade AC 10 as per IS : 1868),					
	transparent or dyed to required					
	colour or shade, with nuts and					
26	screws etc. complete : 300x16 mm	10.000	<b>F</b> 1			
26	Providing and fixing aluminium	18.000	Each			
	tower bolts, ISI marked, anodised					
	(anodic coating not less than grade					
	AC 10 as per IS : 1868 ) transparent					
	or dyed to required colour or shade,					
	with necessary screws etc. complete					
	: 300x10 mm					
27	Providing and fixing aluminium	18.000	Each			
	handles, ISI marked, anodised					
	(anodic coating not less than grade					
	AC 10 as per IS : 1868) transparent					
	or dyed to required colour or shade,					
	with necessary screws etc. complete					
	: 125 mm					
28	Providing and Fixing factory made	0.520	Metre			
20	uPVC door frame, made of uPVC	0.020	1,10010			
	exturded sections, of size 65 mm x					
	55 mm with wall thickness 2.0 mm					
	$(\pm 0.2 \text{ mm})$ , corners of the door					
	frame to be mitred cut and jointed					
	with plastic brackets and stainless					
	steel screws, reinforcing hinge side					
	vertical of the frames with PVC					
	profile of Size 28 mm x 30 mm					
	having wall thickness 2 mm ( $\pm 0.2$					
	mm), including providing & fixing 3					
	nos of 125 mm long stainless steel					
	hinges to the frame, fixing the frame					
	with jamb with required number &					
	size of anchor dash fastners, all					
	complete as per manufacturer's					
L	1 F		l	1		l

	specification and direction of				
	Engineer-in-charge.				
29	Providing and fixing 37 mm thick	1.800	Sam		
29	factory made PVC door shutter,	1.800	Sq.m		
	styles and rails made of PVC hollow				
	section of size 100 mm x 37 mm				
	with wall thickness 2 mm ( $\pm$ 0.2				
	mm), with inbuilt bead on one side,				
	styles and rails mitered cut and joint				
	at the corners by means of 2 nos of				
	plastic brackets of size 75 mm x 220				
	mm at each corner and stainless				
	steel screws, reinforcing the hinge				
	side of style by inserting PVC				
	profile of size 28 mm x 30 mm, with				
	wall thickness 2 mm ( $\pm$ 0.2 mm).				
	Lockrail of size 100 mm x 37 mm,				
	wall thickness 2 mm (+ 0.2 mm)				
	will be fixed to the vertical styles.				
	Providing with PVC snapfit beads				
	and panel of size 100 mm x 20 mm,				
	and inserting 2 nos tie bar of 6 mm				
	dia and fastening with nuts and				
	washers complete, all as per				
	manufacturer's specification and				
	direction of Engineer-in-charge.				
30	62 mm thick cement concrete	116.020	Sq.m		
	flooring with concrete hardener				
	topping, under layer 50 mm thick				
	cement concrete 1:2:4 (1 cement : 2				
	coarse sand : 4 graded stone				
	aggregate 20mm nominal size) and				
	top layer 12mm thick cement				
	hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded				
	stone aggregate, 6mm nominal size)				
	by volume, hardening compound				
	mixed @ 2 litre per 50 kg of cement				
	or as per manufacture's				
	specifications. This includes cost of				
	cement slurry, but excluding the				
	cost of nosing of steps etc.				
	complete.				
31	Providing and fixing false ceiling at	110.000	Sq.m		
	all height including providing and				
	fixing of frame work made of				
	special sections, power pressed from				
	M.S. sheets and galvanized with				
	zinc coating of 120 gms/sqm (both				
	side inclusive) as per IS : 277 and				
	consisting of angle cleats of size 25				
	mm wide x 1.6 mm thick with				
	flanges of 27 mm and 37mm, at				
	1200 mm centre to centre, one				

				1	
	lange fixed to the ceiling with dash				
	astener 12.5 mm dia x 50mm long				
W	with 6mm dia bolts, other flange of				
cl	leat fixed to the angle hangers of				
2:	5x10x0.50 mm of required length				
w	with nuts & bolts of required size				
aı	nd other end of angle hanger fixed				
	vith intermediate G.I. channels				
4	5x15x0.9 mm running at the				
	pacing of 1200 mm centre to				
-	entre, to which the ceiling section				
	.5 mm thick bottom wedge of 80				
	nm with tapered flanges of 26 mm				
	ach having lips of 10.5 mm, at 450				
	nm centre to centre, shall be fixed				
	n a direction perpendicular to G.I.				
	ntermediate channel with				
	onnecting clips made out of 2.64				
	nm dia x 230 mm long G.I. wire at				
	very junction, including fixing				
	erimeter channels 0.5 mm thick 27				
-	nm high having flanges of 20 mm				
	nd 30 mm long, the perimeter of				
	eiling fixed to wall/partition with				
	he help of rawl plugs at 450 mm				
	entre, with 25mm long dry wall				
	crews @ 230 mm interval,				
	ncluding fixing of gypsum board to				
	eiling section and perimeter				
	hannel with the help of dry wall				
	crews of size $3.5 \times 25$ mm at 230				
	nm c/c, including jointing and inishing to a flush finish of tapered				
	<b>č</b> 1				
	nd square edges of the board with				
	ecommended jointing compound,				
	binting tapes, finishing with				
	binting compound in 3 layers				
	overing upto 150 mm on both sides				
	f joint and two coats of primer				
	uitable for board, all as per				
	nanufacturer's specification and				
	lso including the cost of making				
	penings for light fittings, grills,				
	iffusers, cutouts made with frame				
	f perimeter channels suitably fixed,				
	ll complete as per drawings,				
-	pecification and direction of the				
	Engineer in Charge but excluding				
	he cost of painting with : 12.5 mm				
	hick tapered edge gypsum plain				
	oard conforming to IS: 2095- (Part				
	):2011 (Board with BIS				
	ertification marks)				
32 P:	providing and fixing Ist quality	4.800	Sq.m		

	ceramic glazed wall tiles				
	conforming toIS: 15622 (thickness				
	to be specified by the manufacturer),				
	of approved				
	make, in all colours, shades except				
	burgundy, bottle green, black ofany				
	size as approved by Engineer-in-				
	Charge, in skirting, risers of steps				
	and dados, over 12 mm thick bed of $1.2$ (1)				
	cement mortar 1:3 (1 cement :				
	3coarse sand) and jointing with grey				
	cement slurry @ 3.3kg per sqm,				
	including pointing in white cement				
	mixed with pigment of matching				
	shade complete.				
33	Providing and laying Vitrified tiles	8.640	Sq.m		
	in floor in different sizes (thickness		_		
	tobe specified by the manufacturer)				
	with water absorption less than				
	0.08% and conforming to IS:15622,				
	of approved brand & manufacturer,				
	in all colours and shade, laid on 20				
	mm thick cement mortar 1:4 (1				
	cement:4 coarse sand) jointing with				
	grey cement slurry @3.3 kg/sqm				
	including grouting the joints with				
	white cement and matching				
	pigments etc. The tiles must be cut				
	with the zero chipping diamond				
	cutter only. Laying of tiles will be				
	done with the notch trowel, plier,				
	wedge, clips of required thickness,				
	leveling system and rubber mallet				
	for placing the tiles gently and				
	easily. Double charge vitrified tile				
	polished finish of size Size of Tile				
	600 x 600 mm				
34	Distempering with oil bound	313.448	Sq.m	1	
	washable distemper of approved		- 1		
	brand andmanufacture to give an				
	even shade : New work (two or				
	more coats) over and including				
	water thinnable priming coat with				
	· •				
25	cement primer	150,000	S.c		
35	Finishing walls with water proofing	150.000	Sq.m		
	cement paint of required shade				
	:13.44.1 New work (Two or more				
	coats applied @ 3.84 kg/10 sqm				
36	Painting with synthetic enamel paint	163.300	Sq.m		
	of approved brand and manufacture				
	togive an even shade : Two or more				
	coats on new work				
37	Painting Steel work with Deluxe	110.000	Sq.m		
	Multi Surface Paint to give an even		,		
L	0			1	1

				1	1	1
	shade. Two or more coat applied @					
	0.90 ltr/10 sqm over an under coat					
	of primer applied @0.80 ltr/10 sqm					
	of approved brand and manufacture					
38	Half brick masonry with common	1.640	Each			
	burnt clay F.P.S. (non modular)					
	bricksof class designation 7.5 in					
	superstructure above plinth level up					
	to floorV level. Cement mortar 1:4					
	(1 cement :4 coarse sand)		~			
39	62 mm thick cement concrete	7.560	Sq.m			
	flooring with concrete hardener					
	topping, under layer 50 mm thick					
	cement concrete 1:2:4 (1 cement : 2					
	coarseand : 4 graded stone aggregate					
	20mm nominal size) and top					
	layer12mm thick cement hardener					
	consisting of mix 1:2 (1 cement					
	hardenermix : 2 graded stone					
	aggregate, 6mm nominal size) by					
	volume, harden in compound mixed					
	· ·					
	@ 2 litre per 50 kg of cement or as					
	per manufacture's specifications.					
	This includes cost of cement slurry,					
	but excluding the cost of nosing of					
	steps etc. complete.					
40	Providing and fixing water closet	1.000	Each			
	squatting pan (Indian type W.C. pan					
	) with 100 mm sand cast Iron P or S					
	trap, 10 litre low level white P.V.C.					
	flushing cistern, including flush					
	pipe, with manually controlled					
	device (handle lever)					
	conforming to IS : 7231, with all					
	fittings and fixtures complete,					
	including cutting and making good					
	the walls and floors wherever					
	required: White Vitreous china					
	Orissa pattern W.C. pan of size					
	580x440 mm with integral type foot					
<u> </u>	rests					
41	Providing and fixing white vitreous	1.000	Each			
	china flat back or wall corner type					
	lipped front urinal basin of					
	430x260x350 mm and 340x410x265					
	mm sizes respectively with					
	automatic flushing cistern with					
	standard flush pipe and C.P. brass					
	spreaders with brass unions and G.I					
	clamps complete, including painting					
	of fittings and brackets, cutting and					
	making good the walls and floors					
	wherever required : One urinal basin					
	with 5 litre white P.V.C. automatic					
k						

	flushing cistern				
42	Providing and fixing wash basin	1.000	Each		
12	with C.I. brackets, 15 mm C.P. brass	1.000	Luch		
	pillartaps, 32 mm C.P. brass waste				
	of standard pattern, including				
	painting of fittings and brackets,				
	cutting and making good the walls				
	wherever require:17.7.1 White				
	Vitreous China Wash basin size				
	630x450 mm with a pair of 15 mm				
	C.P.brass pillar taps				
43	Providing and fixing Stainless Steel	1.000	Each		
43	A ISI 304 (18/8) kitchen sink as per	1.000	Each		
	IS:13983 with C.I. brackets and				
	stainless steel plug 40 mm,				
	including painting of fittings and				
	brackets, cutting and making good				
	the walls wherever required: 17.10.1				
	Kitchen sink with drain board				
	17.10.1.1 510x1040 mm bowl depth				
	250 mm				
44	Providing and laying cement	8.500	Metre		
	concrete 1:5:10 (1 cement : 5 coarse	0.500	wiene		
	sand : 10graded stone aggregate 40				
	mm nominal size) all-round S.W.				
	pipes including bed concrete as per				
	standard design : 100 mm diameter				
	S.W. Pipe				
45	Providing and fixing on wall face	3.000	each		
	unplasticised - PVC moulded	21000			
	fittings/accessories for unplasticised				
	Rigid PVC rain water pipes				
	conforming to IS : 13592 Type A,				
	including jointing with seal ring				
	conforming toIS : 5382, leaving 10				
	mm gap for thermal expansion.				
	Bend 87.5° 110 mm				
46	Providing and fixing on wall face	3.000	each		
	unplasticised - PVC moulded				
	fittings/accessories for unplasticised				
	Rigid PVC rain water pipes				
	conforming to IS : 13592 Type A,				
	including jointing with seal ring				
	conforming toIS : 5382, leaving 10				
	mm gap for thermal expansion.				
	Single tee with door 110x110x110				
	mm				
47	Providing and fixing on wall face	2.000	each		
	unplasticised - PVC moulded				
	fittings/accessories for unplasti-				
	cised Rigid PVC rain water pipes				
	conforming to IS : 13592 Type A,				
	including jointing with seal ring				
	conforming to IS : 5382, leaving 10				

				1	1	1
	mm gap for thermal expansion.					
	Single tee without door					
	110x110x110 mm					
48	Providing and fixing mirror of	1.000	Each			
	superior glass (of approved quality)					
	and of required shape and size with					
	plastic moulded frame of approved					
	make andshade with 6 mm thick					
10	hard board backing :	15.000	<b>D</b> 1 (			
49	Providing and fixing Chlorinated	15.000	R.M			
	Polyvinyl Chloride (CPVC) pipes,					
	having thermal stability for hot &					
	cold water supply including all					
	CPVC plain & brass threaded					
	fittings This includes jointing of					
	pipes & fittings with one step CPVC					
	solvent cement, trenching, refilling					
	& testing of joints complete as per					
	direction of Engineer in Charge. 15					
	mm nominal dia Pipes					
50	Providing and fixing Chlorinated	20.000	R.M			
50	Polyvinyl Chloride (CPVC) pipes,	20.000	17.11/1			
	having thermal stability for hot &					
	cold water supply including all					
	CPVC plain & brass threaded					
	fittings This includes jointing of					
	pipes & fittings with one step CPVC					
	solvent cement, trenching, refilling					
	& testing of joints complete as per					
	direction of Engineer in Charge. 20					
	mm nominal dia Pipes					
51	Providing and fixing Chlorinated	30.000	R.M			
	Polyvinyl Chloride (CPVC) pipes,					
	having thermal stability for hot &					
	cold water supply including all					
	CPVC plain & brass threaded					
	fittings This includes jointing of					
	pipes & fittings with one step CPVC					
	solvent cement, trenching, refilling					
	& testing of joints complete as per					
	direction of Engineer in Charge. 40					
	mm nominal dia Pipes					
52	Providing and fixing brass bib cock	3.000	Each			
	of approved quality : 15 mm					
	nominal bore					
53	Providing and fixing brass stop cock	2.000	Each			
	of approved quality : 18.16.1 15 mm					
	nominal bore					
54	Providing and fixing ball valve	2.000	Each	1		
	(brass) of approved quality, High or	2.000	Lavii			
	low					
	pressure, with plastic floats					
	complete :18.18.1 15 mm nominal					
	bore					1

55	Providing and fixing gun metal non-	1.000	Each		
55	return valve of approved quality	1.000	Lach		
	(screwed end): 40 mm nominal				
	bore				
56	Providing and placing on terrace (at	9.700	Litre		
	all floor levels) polyethylene water				
	storage tank, IS : 12701 marked,				
	with cover and suitable locking				
	arrangement and making necessary				
	holes for inlet, outlet and overflow				
	pipes but without				
	fittings and the base support for				
	tank.	2 000	<b>T</b> 1		
57	Providing and fixing in position pre-	2.000	Each		
	cast R.C.C. manhole cover and frame of required shape and				
	approved quality19.19.1 L D- 2.5				
	Square shape 450 mm internal				
	dimensions				
58	Constructing brick masonry	1.000	Each		
	chamber for underground C.I.				
	inspection chamber and bends with				
	bricks in cement mortar 1:4 (1				
	cement : 4 coarse sand) C.I. cover				
	with frame (light duty) 455x610 mm				
	internal dimensions, total weight of				
	cover with frame to be not less than				
	38 kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top				
	slab with $1:1.5:3$ mix (1 cement : 1.5				
	fine sand : 3 graded stone aggregate				
	20 mm nominal size), foundation				
	concrete 1:5:10 (1 cement : 5 fine				
	sand : 10 graded stone aggregate 40				
	mm nominal size), inside plastering				
	12 mm thick with cement mortar 1:3				
	(1 cement : 3 coarse sand), finished				
	smooth with a floating coat of neat				
	cement on walls and bed concrete				
	etc. complete as per standard design:				
	19.30.1 Inside dimensions 455x610 mm and 45 cm deep for single pipe				
	line : 19.30.1.1 With common burnt				
	clay F.P.S. (non modular) bricks of				
	class designation 7.5				
59	Boring/drilling bore well of required	60.000	R.M		
	dia for casing/ strainer pipe, by				
	suitable method prescribed in IS:				
	2800 (part I), including collecting				
	samples from different strata,				
	preparing and submitting strata				
	chart/ bore log, including hire &				
	running charge of all equipments,				
	tools, plants & machineries required				

	for the job, all complete as per				
	direction of Engineer-in-charge,				
	upto 90 metre depth below ground				
	level. 23.1.1 All types of soil				
	23.1.1.1 300 mm dia				
60	Supplying, assembling, lowering	60.000	R.M		
	and fixing in vertical position in	201000			
	bore well, unplasticized PVC				
	medium well casing (CM) pipe of				
	required dia, conforming to IS:				
	12818, including required hire and				
	labour charges, fittings &				
	accessories etc. all complete, for all				
	depths, as per direction of Engineer				
	-in-charge.23.3.1 100 mm nominal				
	size dia				
61	Gravel packing in tube well	2.200	Cum		
	construction in accordance with IS:				
	4097, including				
	providing gravel fine/ medium/				
	coarse, in required grading & sizes				
	as per actual				
	requirement, all complete as per				
	direction of Engineer-in-charge.				
62	Development of tube well in	24.000	Hr		
02	accordance with IS : 2800 (part I)	24.000	111		
	and IS: 11189, to establish				
	maximum rate of usable water yield				
	without sand content (beyond				
	permissible limit), with required				
	capacity air compressor, running the				
	Compressor for required time till				
	well is fully developed, measuring				
	yield of well by "V" notch				
	method or any other approved				
	method, measuring static level &				
	draw down etc. by step draw down				
	method, collecting water samples &				
	getting tested in approved				
	laboratory, i/c disinfection of				
	tubewell, all complete, including				
	hire & labour charges of air				
	compressor, tools & accessories etc.,				
	all as per requirement and direction				
	of Engineer-in-charge.				
63	Constructing soak pit	1.000	Each	-	
03		1.000	Lacii		
	1.20x1.20x1.20 m filled with				
	brickbats including S.W. drain pipe				
	100 mm diameter and 1.20 m long				
	complete as per standard design.				
64	Supplying and filling in plinth with	0.860	Cum		
	sand under floors, including				
	watering, ramming, consolidating				
	and dressing complete.				

6.			~		
65	Providing and laying 75 mm thick	5.040	Sq.m		
	compacted bed of dry brick				
	aggregate of 40 mm thick nominal				
	size including spreading, well				
	ramming, consolidating and				
	grouting with jamuna sand,				
	including finishing smooth etc.				
	complete as per				
	direction of Engineer-in-charge.				
((		1 1 2 0	Course		
66	Providing and laying in position	1.130	Cum		
	specified grade of reinforced cement				
	concrete, excluding the cost of				
	centering, shuttering, finishing and				
	reinforcement - All work up to				
	plinth level : 1:1.5:3 (1 cement : 1.5				
	coarse sand (zone-III) derived from				
	natural sources : 3 graded stone				
	aggregate 20 mm nominal size				
	derived from natural sources)				
67	Reinforced cement concrete work in	1.460	Cum		
07		1.400	Cum		
	walls (any thickness), including				
	attached pilasters, buttresses, plinth				
	and string courses, fillets, columns,				
	pillars, piers, abutments, posts and				
	struts etc. above plinth level up				
	tofloor five level, excluding cost of				
	centering, shuttering, finishing				
	andreinforcement : 1:1.5:3 (1				
	cement : 1.5 coarse sand(zone-III)				
	derived from natural sources : 3				
	graded stone aggregate 20 mm				
	nominal size derived from natural				
(0)	sources)	1.070	9		
68	Reinforced cement concrete work in	1.870	Cum		
	beams, suspended floors, roof				
	shaving slope up to 15° landings,				
	balconies, shelves, chajjas, lintels,				
	bands, plain window sills, staircases				
	and spiral stair cases above plinth				
	level up to floor five level,				
	excluding the cost of centering,				
	shuttering, finishing and				
	reinforcement with 1:1.5:3 (1				
	cement : 1.5 coarses and(zone-III)				
	derived from natural sources : 3				
	graded stone aggregate20 mm				
	nominal size derived from natural				
	sources).				
69	Providing and fixing ISI marked	2.100	Sq.m		
	flush door shutters conforming to IS		-		
	:2202 (Part I) decorative type, core				
	of block board construction with				
	frame of 1st class hard wood and				
	well matched teak 3 ply veneering				

	with vertical grains or cross bands					
	and face veneers on both faces					
	ofshutters.9.20.1 35 mm thick					
	including ISI marked Stainless Steel					
	butt hinges with necessary screws					
70	Providing and fixing pressed steel	5.200	R.M			
	door frames conforming to IS:					
	4351, manufactured from					
	commercial mild steel sheet of 1.60					
	mm thickness, including hinges,					
	jamb, lock jamb, bead and if					
	required angle threshold of mild					
	steel angle of section 50x25 mm, or					
	base ties of 1.60 mm, pressed mild					
	steel welded or rigidly fixed					
	together by mechanical means,					
	including M.S. pressed butt hinges					
	2.5 mm thick with mortar					
	guards, lock strike-plate and shock					
	absorbers as specified and applying					
	a coatof approved steel primer after					
	pre-treatment of the surface as					
	directedby Engineer-in-					
	charge:Profile E10.14.3.1 Fixing					
	with adjustable lugs with split end					
	tail toeach jamb					
71	Finishing with Deluxe Multi surface	4.200	Sq.m			
	paint system for interiors and		•			
	exteriors using Primer as per					
	manufacturers specifications :					
	Painting wood work with Deluxe					
	Multi Surface Paint of required					
	shade. Two or more coat applied @					
	0.90  ltr/10  sqm over an under coat					
	of primer applied @0. 75 ltr/10 sqm					
	of approved brand and manufacture					
72		5 400	Sam			
12	Painting with synthetic enamel paint	5.400	Sq.m			
	of approved brand and manufacture					
	to give an even shade :	2	<b>F</b> 1			
73	Wiring for light point/ fan point/	3.000	Each			
	exhaust fan point/ call bell point					
	with 1.5 sq.mm FRLS PVC					
	insulated copper conductor single					
	core cable in surface / recessed					
	steelconduit, with piano type switch,					
	phenolic laminated sheet, suitable					
	size MS box andearthing the point					
	with 1.5 sq.mm. FRLS PVC					
	insulated copper conductor					
	singlecore cable etc as required.					
	Group A					
74	Wiring for light point/ fan point/	7.000	Each			
, .	exhaust fan point/ call bell point	,	Laon			
	with 1.5 sq.mm FRLS PVC					
		1		1	1	

insulated copper conductor single       core cable in surface / recessed       steelconduit, with piano type switch, phenolic laminated sheet, suitable       size MS box andearthing the point       with 1,5 sq.mm. FRLS PVC       insulated copper conductor       singlecore cable it as required.       Group B       75     Wiring for light point/ fan point/       exhaust fan point call bell point       with 1.5 sq.mm. FRLS PVC       insulated copper conductor single       core cable in surface / recessed       steelconduit, with piano type switch, phenolic laminated sheet, suitable       size MS box andearthing the point       with 1.5 sq.mm. FRLS PVC       insulated copper conductor       singlecore cable ct as required.       Group C       76       Wiring for light point/ fan point/       with 1.5 sq.mm. FRLS PVC       insulated copper conductor single       core cable it as required.       76       Wiring for light point/ fan point/       with 1.5 sq.mm.       FRLS PVC insulated copper conductor single       core cable it as stable Copper       conduit, with modular switch,       modular plate, suitable Cipper       conductor single core cable ct       ascequired.       77       Wiring for light/ power plag with       4.000						1
steelconduit, with piano type switch, phenolic laminated sheet, suitable size MS box andcarthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group B       6.000       Each         75       Wring for light point/ exhaust fam point/cable       6.000       Each         core cable in surface / recessed       steelconduit, with piano type switch, phenolic laminated sheet, suitable size MS box andcarthing the point with 1.5 sq.mm. FRLS PVC       Each         76       Wring for light point/ fan point/ exhaust fam point/cable et as required. Group C       4.000       Each         76       Wring for light point/ with 1.5 sq.mm. FRLS PVC       6.000       Each         76       Wring for light point/ exhaust fam point/cable et as required. Group C       4.000       Each         77       Wring for light point/ with 1.5 sq.mm. FRLS PVC       each       each         astreleconduit, with modular switch, modular plate, suitable GI box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable for loss and earthing for circuit wiring alongwith alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for lose and as required.       4.000       e         78       Wring for ingle true cable in surface/ recessed steel conduit as required.       150.000       Metre         79       Wring for insulated copper conductor single core cable in surface/ Recessed steel conduit as required.       200.000       Metre <td< td=""><td></td><td>insulated copper conductor single</td><td></td><td></td><td></td><td></td></td<>		insulated copper conductor single				
phenolic laminated sheet, suitable size MS box andearthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group B         6.000         Each           75         Wring for light point/ fan point/ with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with pinot type switch, phenolic laminated sheet, suitable size MS box andearthing the point/ with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group C         4.000         Each           76         Wring for light point/ with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group C         4.000         Each           77         Wring for light point/ with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable in sufface / recessed steelconduit, with modular switch, modular plate, suitable GI box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable it asrequired. Group B         4.000         e           77         Wring for light/ power plug with 4.030         4.000         e           78         Wring for light/ power plug with 4.043 sq.mm FRLS PVC insulated copper conductor single core cable it asrequired.         150.000         Metre           78         Wring for circuit wiring alongwith as required.         150.000         Metre           79         2X 4 sq. mm + 1 X 4 sq. mm earth wire         200.000         Metre           80         Supplying and fixing following piano type switch/ socket on the conductor						
phenolic laminated sheet, suitable size MS box andearthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group B         6.000         Each           75         Wring for light point/ fan point/ with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with pinot type switch, phenolic laminated sheet, suitable size MS box andearthing the point/ with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group C         4.000         Each           76         Wring for light point/ with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group C         4.000         Each           77         Wring for light point/ with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable in sufface / recessed steelconduit, with modular switch, modular plate, suitable GI box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable it asrequired. Group B         4.000         e           77         Wring for light/ power plug with 4.030         4.000         e           78         Wring for light/ power plug with 4.043 sq.mm FRLS PVC insulated copper conductor single core cable it asrequired.         150.000         Metre           78         Wring for circuit wiring alongwith as required.         150.000         Metre           79         2X 4 sq. mm + 1 X 4 sq. mm earth wire         200.000         Metre           80         Supplying and fixing following piano type switch/ socket on the conductor		steelconduit, with piano type switch,				
size MS box andearthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group B         6.000         Each           75         Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with piano type switch, phenolic laminated sheet, suitable size MS box andearthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group C         4.000         Each           76         Wiring for light point/ call bell point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with modular switch, modular plate, suitable Gl box and carthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable et asrequired. 77         4.000         e           77         Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in asreface/recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit as required         150.000         Metre           78         Wiring for light/ power plug switch socket on the existing for circuit wiring alongwith as required         150.000         Metre           79         2 X 4 sq. mm + 1 X 4 sq. mm earth wire         200.000         Metre         200.000 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
with 1.5 sq.mm, FRLS PVC     insulated copper conductor       singlecore cable etc as required.     Group B       78     Wiring for light point/ fan point/     6.000       issulated copper conductor single     core cable in surface / recessed       steelconduit, with plano type switch,     phenolic laminated sheet, suitable       singlecore cable etc as required.     Group C       Group C     insulated copper conductor       singlecore cable etc as required.     Group C       Group C     Group C       70     Wiring for light point/ fan point/       with 1.5 sq.mm FRLS PVC     insulated copper conductor       singlecore cable etc as required.     Group C       6     Group C       70     Wiring for light point/ fan point/       with 1.5 sq.mm FRLS PVC     insulated copper conductor       insulated copper conductor single core cable in surface / recessed     steelconduit, with modular switch,       modular plate, suitable GI box and     earthing the pointwith 1.5 sq.mm.       PRLS PVC insulated copper     earthing the pointwith 1.5 sq.mm.       PRLS PVC insulated copper conductor single core cable ic     asrequired.       77     Wiring for light/ power plug with     4.000       4X4 sq.mm PRLS PVC insulated copper     conduit       alongwith 2 Nos 4 sq.mm FRLS     PVC insulated copper conductor       single core						
insulated copper conductor         singlecore cable cit as required.         Group B         75       Wring for light point/ fan point/         exhaust fan point/ call bell point         with 1.5 sq.mm FRLS PVC         insulated copper conductor single         core cable in surface / recessed         sitecleonduit, with piano type switch,         sitecleonduit, with piano type switch,         sitecleonduit, with piano type switch,         siteleonduit as required.         Group C         76       Wring for light point/ fan point/         with 1.5 sq.mm. FRLS PVC         insulated copper conductor single         core cable in surface / recessed         sitecleonduit, with modular switch,         modular plate, suitable Gl box and         earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper         conductor single core cable or surface / recessed         sitecleonduit, with modular switch,         modular plate, suitable Gl box and         earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper         conductor single core cable et asrequired         70       Witing for light power plug with         4.000       e         asrequired       150.000						
singlecore cable et as required. Group B     6.000     Each       75     Wiring for light point/ fan point/ exhaust fan point/ call bell point     6.000     Each       75     Wiring for light point/ fan point/ with 1.5 sq.mm FRLS PVC     6.000     Each       9     size AS box andearthing the point with 1.5 sq.mm FRLS PVC     issuaded copper conductor singlecore cable et as required.     6.000     Each       76     Wiring for light point/ fan point/ with 1.5 sq.mm FRLS PVC     4.000     Each       76     Wiring for light point/ fan point/ with 1.5 sq.mm FRLS PVC     4.000     Each       76     Wiring for light point/ with 1.5 sq.mm FRLS PVC     4.000     Each       9     The synthese state of the surface recessed steelconduit, with modular switch, modular plate, suitable G1 box and earthing the pointwith 1.5 sq.mm     4.000     e       77     Wiring for light/power plug with 4X4 sq.mm FRLS PVC insulated copper conductor single core cable te asrequired. Group B     4.000     e       78     Wiring for light/power plug with alongwith 2 Nos 4 sq.mm FRLS     150.000     Metre       78     Wiring for icreuit wiring alongwith earth wire with the following size of LRLS PVC insulated copper conductor single core cable in surface/ Recessed steel conduit as required     150.000     Metre       78     Supplying and fixing following piano type switch/ socket on the cixiting switch box/ cover including corenections tet, as required. 15/16     200.000 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>						
Group B       6.000         75       Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.nm FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with piano type switch, phenolic laminated sheet, suitable size MS box andearthing the point with 1.5 sq.nm. FRLS PVC insulated copper conductor singlecore cable etc as required. Group C       6.000       Each         76       Wiring for light point/ exhaust fan						
75       Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with piano type switch, phenolic laminated sheet, suitable size MS box andearthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group C       Each         76       Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with modular switch, modular plate, suitable G1 box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable et asrequired. Group B       4.000       Each         77       Wiring for light power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable et asrequired. Group B       4.000       c         78       Wiring for light/ power plug with alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       150.000       Metre         78       Wiring for light galogwith earth wire with the following size of LRLS PVC insulated copper       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth equired       200.000       Metre         80       Supplying and fixing following piano type switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
exhaust fan point/ call bell point         with 1.5 sq.mm FRLS PVC         insulated copper conductor single         core cable in surface/ recessed         steelconduit, with piano type switch,         phenolic laminated sheet, suitable         size MS box andcarthing the point         with 1.5 sq.mm. FRLS PVC         insulated copper conductor         singlecore cable et as required.         Group C         76       Wiring for light point/ fan point/         exhaust fan point/ call bell point         with 1.5 sq.mm. FRLS PVC         insulated copper conductor single         core cable in surface/ recessed         steelconduit, with modular switch,         modular plate, suitable GI box and         earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper         conductor single core cable its         asrequired. Group B         77       Wiring for light/ power plug with         4.000       e         4X4 sq. mm FRLS PVC insulated copper         conductor single core cable its         in surface/ recessed steel conduit         alongwith 2 Nos 4 sq. mm FRLS         PVC insulated copper         conductor single core cable in         sarequired         78<			6.000	<b>F</b> 1		
with 1.5 sq.mm FRLS PVC         insulated copper conductor single         core cable in surface / recessed         steelconduit, with piano type switch,         phenolic laminated sheet, suitable         size MS box andearthing the point         with 1.5 sq.mm FRLS PVC         insulated copper conductor         singlecore cable et as required.         Group C         76       Wiring for light point/ fan point/         exhaust fan point / with 1.5 sq.mm FRLS PVC         insulated copper conductor single         core cable in surface / recessed         steelconduit, with modular switch,         modular plate, suitable G1 box and         earthing the pointwith 1.5 sq.mm         FRLS PVC insulated copper         conductor single core cable ete         asrequired. Group B         77         Wiring for light/ power plug with         4X4 sq. mm FRLS PVC insulated copper conductor         copper conductor single core cable         in surface / recessed steel conduit         single core cable for loop earthing         asrequired         78       Wiring for light/ power plug         wiring for circuit wiring alongwith         earthing alongwith         78       Wiring for loop earthing	75		6.000	Each		
insulated copper conductor single       insulated copper conductor single         core cable in surface / recessed       steelconduit, with piano type switch,         phenolic laminated sheet, suitable       size MS box andearthing the point         with 1.5 sq.mm. FRLS PVC       insulated copper conductor         insulated copper conductor       singlecore cable cas required.         Group C       Group C         76       Wiring for light point/ fan point/       4.000         exhaust fan point/ call bell point       with 1.5 sq.mm FRLS PVC         insulated copper conductor single       core cable in surface / recessed         steelconduit, with modular switch,       modular plate, suitable GI box and         earthing the pointwith 1.5 sq.mm.       FRLS PVC insulated copper         conductor single core cable etc       asrequired.         77       Wiring for light/ power plug with       4.000         4X4 sq. mm FRLS PVC insulated       copper conductor single core cable etc         in surface/ recessed steel conduit       alongwith 2 Nos 4 sq. mm FRLS         9       Wiring for loop carthing       iso.000         9       2X4 sq. mm + 1 X4 sq. mm earth       200.000         wire       wire       4.000         80       Supplying and fixing following       follow fasting size of						
core cable in surface / recessed         steelconduit, with jano type switch,         phenolic laminated sheet, suitable         size XMS box andearthing the point         with 1.5 sq.mm. FRLS PVC         insulated copper conductor         singlecore cable etc as required.         Group C         76       Wiring for light point/ fan point/         exhaust fan point/call bell point         with 1.5 sq.mm FRLS PVC         insulated copper conductor single         core cable in surface / recessed         steelconduit, with modular switch,         modular plate, suitable GI box and         earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper         conductor single core cable etc         asrequired. Group B         77       Wiring for light/ power plug with         4X4 sq. mm FRLS PVC insulated         copper conductor single core cable etc         asrequired. Group B         78       Wiring for light/ power plug with         4X4 sq.mm FRLS       PVC insulated copper conductor single core cable in surface/ recessed steel conduit as required         78       Wiring for oricuit wiring alongwith         earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required		with 1.5 sq.mm FRLS PVC				
steelconduit, with piano type switch, phenolic laminated sheet, suitable size MS box andearthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group C       Each         76       Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with modular switch, modular plate, suitable GI box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable ete asrequired. Group B       4.000       c         77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable ete asrequired. Group B       4.000       c         78       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable ete as required.       150.000       Metre         78       Wiring for light/ gongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ recessed steel conduit as required       150.000       Metre         79       2X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections et. as required.       4.000       Each		insulated copper conductor single				
phenolic laminated sheet, suitable       size MS box andearthing the point         with 1.5 sq.mm. FRLS PVC       insulated copper conductor         singlecore cable etc as required.       Group C         76       Wiring for light point/ fan point/       4.000         exhaust fan point/ call bell point       with 1.5 sq.mm. FRLS PVC         insulated copper conductor single       core cable in surface / recessed         steelconduit, with modular switch,       modular plate, suitable GI box and         earthing the pointwith 1.5 sq.mm.       FRLS PVC insulated copper         conductor single core cable ete       asrequired. Group B         77       Wiring for light/ power plug with       4.000       e         4X4 sq. mm FRLS PVC insulated       copper       conductor single core cable ete         asrequired. Group B       150.000       e         78       Wiring for circuit wiring alongwith earth vire with the following size of LRLS PVC insulated copper       150.000       Metre         78       Wiring for circuit wiring alongwith earth vire with the following size of LRLS PVC insulated copper       200.000       Metre         79       2X 4 sq. mm +1 X 4 sq. mm earth wire witch socore or witch socore or mole in surface/ Recessed steel conduit as required       200.000       Metre         80       Supplying and fixing following piantory bay witch socket on the e		core cable in surface / recessed				
phenolic laminated sheet, suitable       size MS box andearthing the point         with 1.5 sq.mm. FRLS PVC       insulated copper conductor         singlecore cable etc as required.       Group C         76       Wiring for light point/ fan point/       4.000         exhaust fan point/ call bell point       with 1.5 sq.mm. FRLS PVC         insulated copper conductor single       core cable in surface / recessed         steelconduit, with modular switch,       modular plate, suitable GI box and         earthing the pointwith 1.5 sq.mm.       FRLS PVC insulated copper         conductor single core cable ete       asrequired. Group B         77       Wiring for light/ power plug with       4.000       e         4X4 sq. mm FRLS PVC insulated       copper       conductor single core cable ete         asrequired. Group B       150.000       e         78       Wiring for circuit wiring alongwith earth vire with the following size of LRLS PVC insulated copper       150.000       Metre         78       Wiring for circuit wiring alongwith earth vire with the following size of LRLS PVC insulated copper       200.000       Metre         79       2X 4 sq. mm +1 X 4 sq. mm earth wire witch socore or witch socore or mole in surface/ Recessed steel conduit as required       200.000       Metre         80       Supplying and fixing following piantory bay witch socket on the e		steelconduit, with piano type switch,				
size MS box andearthing the point with 1.5 sq.mm, FRLS PVC insulated copper conductor singlecore cable etc as required. Group C       4.000       Each         76       Wiring for light point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with modular switch, modular plate, suitable G1 box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper core cable etc asrequired. Group B       4.000       Each         77       Wiring for light/power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable etc asrequired. Group B       4.000       e         77       Wiring for light/power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq.mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       150.000       Metre         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch' socket on the existing switch box' cover including connections etc. as required.       Each						
with 1.5 sq.mm. FRLS PVC insulated copper conductor singlecore cable et as required. Group C       4.000       Each         76       Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with modular switch, modular plate, suitable GI box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable et asrequired. Group B       4.000       e         77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.       4.000       e         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insulated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         78       Surjng for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch socket on the existing switch/ socket on the existing switch box/ cover including connect						
insulated copper conductor       insulated copper conductor         singlecore cable et as required.       Group C         76       Wiring for light point/ fan point/       4.000       Each         with 1.5 sq.mm. FRLS PVC       insulated copper conductor single       core cable in surface / recessed         steelconduit, with modular switch,       modular plate, suitable GI box and       earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper       conductor single core cable etc       asrequired.         asrequired. Group B       asrequired.       4.000       e         77       Wiring for light/ power plug with 4.000       e       asrequired.         77       Wiring for light/ power plug with 4.000       e       asrequired.         78       Wiring for create steel conduit alongwith 2 Nos 4 sq. mm FRLS       PVC insulated copper conductor single core cable in surface/ recessed steel conduit as required.       150.000       Metre         78       Wiring for circuit wiring alongwith exits astard with the following size of LRLS PVC insulated copper conductor single core cable in surface/ Recessed steel conduit as arequired.       200.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire with the following plan fixing following plan fixing following connections etc. as required.       4.000       Each plan plan fixing following connections etc. as required.						
singlecore cable etc as required. Group C       Image: Complex cable of the cable						
Group C     Image: Constraint of the second se						
76       Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steelconduit, with modular switch, modular plate, suitable GI box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc asrequired. Group B       4.000       Each         77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       4.000       e         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
exhaust fan point/ call bell point         with 1.5 sq.mm FRLS PVC         insulated copper conductor single         core cable in surface / recessed         steelconduit, with modular switch,         modular plate, suitable GI box and         earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper         conductor single core cable ete         asrequired. Group B         77       Wring for light/ power plug with         4X4 sq. mm FRLS PVC insulated         copper conductor single core cable         in surface/ recessed steel conduit         alongwith 2 Nos 4 sq. mm FRLS         PVC insulated copper conductor         single core cable for loop earthing         as required         78       Wiring for circuit wiring alongwith         earth wire with the following size of         LRLS PVC insukated copper         conductor single core cable in         surface/ Recessed steel conduit as         required         79       2 X 4 sq. mm + 1 X 4 sq. mm earth         wire       200.000         Metre         surface/ Recessed steel conduit as         required         79       2 X 4 sq. mm + 1 X 4 sq. mm earth         wire       200.000 <tr< td=""><td></td><td></td><td>1 0 0 0</td><td><b>F</b> 1</td><td></td><td></td></tr<>			1 0 0 0	<b>F</b> 1		
with 1.5 sq.mm FRLS PVC         insulated copper conductor single         core cable in surface / recessed         steelconduit, with modular switch,         modular plate, suitable GI box and         earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper         conductor single core cable etc         asrequired. Group B         77       Wiring for light/ power plug with         4X4 sq. mm FRLS PVC insulated         copper conductor single core cable         in surface / recessed steel conduit         along with 2 Nos 4 sq. mm FRLS         PVC insulated copper conductor         single core cable for loop earthing         as required         78       Wiring for circuit wiring alongwith         earth wire with the following size of         LRLS PVC insukated copper         conductor single core cable in         surface / Recessed steel conduit as         required         79       2 X 4 sq. mm + 1 X 4 sq. mm earth         wire       200.000         Metre         wire       4.000         80       Supplying and fixing following         piano type switch/ socket on the       4.000         existing switch box/ cover including         connections e	76		4.000	Each		
insulated copper conductor single       insulated copper conductor single         core cable in surface / recessed       steelconduit, with modular switch,         modular plate, suitable GI box and       earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper       conductor single core cable etc         asrequired. Group B       4.000         77       Wiring for light/ power plug with       4.000         4X4 sq. mm FRLS PVC insulated       copper conductor single core cable         in surface/ recessed steel conduit       alongwith 2 Nos 4 sq. mm FRLS         PVC insulated copper conductor       single core cable for loop earthing         as required       150.000         Metre       earth wire with the following size of LRLS PVC insulated copper         conductor single core cable in surface/ recessed steel conduit as required       200.000         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required.       4.000         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required.       4.000						
core cable in surface / recessed steelconduit, with modular switch, modular plate, suitable GI box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc asrequired. Group B       4.000       e         77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       4.000       e         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch' socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
steelconduit, with modular switch, modular plate, suitable GI box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc asrequired. Group B       4.000       e         77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       4.000       e         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insulated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
modular plate, suitable GI box and earthing the pointwith 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc asrequired. Group B       e         77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       150.000       Metre         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each		core cable in surface / recessed				
earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper         conductor single core cable etc         asrequired. Group B         77       Wiring for light/ power plug with         4X4 sq. mm FRLS PVC insulated         copper conductor single core cable         in surface/ recessed steel conduit         alongwith 2 Nos 4 sq. mm FRLS         PVC insulated copper conductor         single core cable for loop earthing         as required         78         Wiring for circuit wiring alongwith         earth wire with the following size of         LRLS PVC insulated copper         conductor single core cable in         surface/ Recessed steel conduit as         required         79       2 X 4 sq. mm + 1 X 4 sq. mm earth         wire         80       Supplying and fixing following         piano type switch/ socket on the         existing switch box/ cover including         connections etc. as required. 15/16		steelconduit, with modular switch,				
earthing the pointwith 1.5 sq.mm.         FRLS PVC insulated copper         conductor single core cable etc         asrequired. Group B         77       Wiring for light/ power plug with         4X4 sq. mm FRLS PVC insulated         copper conductor single core cable         in surface/ recessed steel conduit         alongwith 2 Nos 4 sq. mm FRLS         PVC insulated copper conductor         single core cable for loop earthing         as required         78         Wiring for circuit wiring alongwith         earth wire with the following size of         LRLS PVC insulated copper         conductor single core cable in         surface/ Recessed steel conduit as         required         79       2 X 4 sq. mm + 1 X 4 sq. mm earth         wire         80       Supplying and fixing following         piano type switch/ socket on the         existing switch box/ cover including         connections etc. as required. 15/16		modular plate, suitable GI box and				
FRLS PVC insulated copper conductor single core cable etc asrequired. Group B       4.000       e         77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       150.000       Metre         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insulated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
conductor single core cable etc asrequired. Group B       4.000       e         77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       4.000       e         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
asrequired. Group B       4.000         77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       4.000       e         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
77       Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       4.000       e         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required       150.000         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each	77		4 000	0		
copper conductor single core cable       in surface/ recessed steel conduit         alongwith 2 Nos 4 sq. mm FRLS       PVC insulated copper conductor         single core cable for loop earthing       as required         78       Wiring for circuit wiring alongwith         earth wire with the following size of       150.000         LRLS PVC insukated copper       conductor single core cable in         surface/ Recessed steel conduit as       required         79       2 X 4 sq. mm + 1 X 4 sq. mm earth       200.000         wire       4.000       Each         80       Supplying and fixing following       4.000         piano type switch/ socket on the       existing switch box/ cover including         connections etc. as required. 15/16       amp switch	//		4.000	C		
in surface/ recessed steel conduit         alongwith 2 Nos 4 sq. mm FRLS         PVC insulated copper conductor         single core cable for loop earthing         as required         78       Wiring for circuit wiring alongwith         earth wire with the following size of         LRLS PVC insukated copper         conductor single core cable in         surface/ Recessed steel conduit as         required         79       2 X 4 sq. mm + 1 X 4 sq. mm earth         wire         80       Supplying and fixing following         piano type switch/ socket on the         existing switch box/ cover including         connections etc. as required. 15/16		<b>^</b>				
alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required150.00078Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required150.000792 X 4 sq. mm + 1 X 4 sq. mm earth wire200.00080Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch200.000						
PVC insulated copper conductor single core cable for loop earthing as required150.00078Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conduvtor single core cable in surface/ Recessed steel conduit as required150.000792 X 4 sq. mm + 1 X 4 sq. mm earth wire200.000Metre80Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch4.000Each						
single core cable for loop earthing as requiredIsologo78Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conduvtor single core cable in surface/ Recessed steel conduit as required150.000Metre792 X 4 sq. mm + 1 X 4 sq. mm earth wire200.000Metre80Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required.4.000Each		<b>č</b> 1				
as required       as required         78       Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required       150.000       Metre         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
78Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conduvtor single core cable in surface/ Recessed steel conduit as required150.000Metre792 X 4 sq. mm + 1 X 4 sq. mm earth wire200.000Metre80Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch4.000Each						
78Wiring for circuit wiring alongwith earth wire with the following size of LRLS PVC insukated copper conduvtor single core cable in surface/ Recessed steel conduit as required150.000Metre792 X 4 sq. mm + 1 X 4 sq. mm earth wire200.000Metre80Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch4.000Each		as required				
earth wire with the following size of LRLS PVC insukated copper conductor single core cable in surface/ Recessed steel conduit as required          79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each	78	Wiring for circuit wiring alongwith	150.000	Metre		
LRLS PVC insukated copper conduvtor single core cable in surface/ Recessed steel conduit as required       Image: Comparison of Co						
conduvtor single core cable in surface/ Recessed steel conduit as required       surface/ Recessed steel conduit as required         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each		e e				
surface/ Recessed steel conduit as required       surface/ Recessed steel conduit as required         79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000						
requiredImage: constraint of the second						
79       2 X 4 sq. mm + 1 X 4 sq. mm earth wire       200.000       Metre         80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each						
wire     4.000       80     Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch     4.000	70		200.000	Metre		
80       Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch       4.000       Each	17		200.000	wiene		
piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 amp switch	- 20		4 000	Each		
existing switch box/ cover including connections etc. as required. 15/16 amp switch	80		4.000	Each		
connections etc. as required. 15/16 amp switch						
amp switch						
81     Supplying and fixing call     1.000     Each						
	81	Supplying and fixing call	1.000	Each		

	bell/buzzer suitable for single phase				
	230 V complete as required				
82	Installation, testing and	6.000	Metre		
02	commissioning of pre-wired,	0.000	wieure		
	fluorescent fitting / compact				
	fluorescent fitting of all types,				
	complete with all accessories and				
	tube etc. directlyon ceiling/ wall,				
	including connection with 1.5 sq.				
	mm FRLS PVC insulated,				
	copperconductor, single core cable				
	and earthing etc. as required				
83	Installation, testing and	4.000	Each		
	commissioning of ceiling fan,		2		
	including wiring the downrods of				
	standard length (upto 30 cm) with				
	1.5 sq. mm FRLS PVC insulated,				
	copper conductor, single core cable,				
	including providing and fixing				
	phenolic laminated sheet cover on				
	the fan box etc. as required.				
84	Earthing with copper earth plate 600	1.000	Job		
	mm X 600 mm X 3 mm thick				
	including accessories, and providing				
	masonry enclosure with cover plate				
	having locking arrangement and				
	watering pipe of 2.7 metre long etc.				
	with charcoal/ coke and saltas				
	required.	1 000	<b>F</b> 1		
85	Supplying and fixing following	1.000	Each		
	rating, four pole, (three phase and				
	neutral), 415 volts, residual current				
	circuit breaker (RCCB), having a				
	sensitivity current 30 milli				
	amperesin the existing MCB DB complete with connections, testing				
	and commissioning etc.as				
	required.2.15.1 25 A				
86	Prem. Model 1200 mm sweep	4.000	Each		
00	orient 1200mm sweep SS-390 Deco	+.000	Laun		
	(PWD Schedule)				
87	ASEB Load Connection	4.000	KW		
	TOLD Loud Competion	1.000	17.14		
		<b>•</b> • • • •			
88	Providing and erection PSC pole	2.000	Each		
	7.5m long the pole is to be erection				
	in 1:2:3 plain cement concrete				
	foundation of sie 1.5 X0.45X0.45				
	having PCC base foundation as per				
	specified and as direction by deptt		<b>D</b> /		
89	Laying of one number PVC	32.616	P/M		
	insulated and PVC sheathed / XLPE				
	power cable of 11KV grade of				
	following size direct in ground				

including excavation, sand cushioning, protective covering and refilling the trench etc as required.							
8.1.1 Upto 120 sq. Mm Total in Figures							
Quoted Rate in Words	Quoted Rate in Words						

#### Letter of Bid

The Bidder must prepare the Letter of Bid on its letter head clearly showing the Bidder's complete name and address.

Date:

Bid Ref.No.:

To: The Director, A.H.& Vety. Deptt. Assam Chenikuthi, Guwahati-3.

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (ITB10);
- (b) We meet the eligibility requirements and have no Conflict of Interest in accordance with ITB 4;
- (c) We offer to execute in conformity with the Bidding Documents the following Works:
- (d) The total price of our Bid, excluding any discounts offered in item (e) below is:
- (e) The discounts offered and the methodology for their application are:
  - *i.* The discounts offered are: *[specify in detail each discount offered]------*
  - *ii.* The exact method of calculations to determine the net price after application of discounts is shown below: [Specify in detail the method that shall be used to apply the discounts];-----
- (f) Our bid shall be valid for a period fixed for the bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (g) If our bid is accepted, we commit to obtain a performance security in accordance with the Bidding Documents;

- (h) We are not participating, as a Bidder or as a subcontractor, in more than one bid in this bidding process in accordance with ITB 4.2, other than alternative bids submitted in accordance with ITB13;
- (i) We, along with any of our sub contractors, suppliers, consultants, manufacturers, or service providers for any part of the contract, are not debarred by any procuring entity under the State Government, the Central Government or any State Government or any Public Undertaking, Autonomous body, Authority by whatever name called under them;
- (j) We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in any activities which is in contravention of the Code of Integrity prescribed in ITB Para 3 of the Bidding Documents.
- (k) We hereby certify that we are neither associated nor have been associated directly or indirectly with the consultant or any other entity that has prepared the design, specifications and other documents for the subject matter of procurement or is being proposed as Project Manager for the contract.
- (I) We hereby certify that we have fulfilled our obligations to pay all such taxes as payable to the Central Government or the State Government or any local authority;
- (m) We hereby certify that we are not insolvent, in receivership, bankrupt or being wound up, not have our companies affairs administered by a court or a judicial officer, not have its business activities suspended and are not subjected to legal proceedings for any of the foregoing reasons;
- (n) We hereby certify that our directors and officers have not been convicted of any criminal offence related to their professional conduct or the making of false statements or misrepresentations as to their qualifications to enter into a procurement contract within a period of three years preceding the commencement of the procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- (0) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed; and
- (p) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.
- (q) We accept the appointment of the person named in SCC as the Adjudicator. OR We do not accept the appointment of the person named in SCC as the Adjudicator, and propose that \_\_\_\_\_\_(insert name) be appointed as Adjudicator, whose daily fee and biographical data are attached.

Name of the Bidder

Name of the person duly authorized to sign the Bid on behalf of the Bidder Title of the person signing the Bid

Signature of the person named above

Date signed